



Natural Resources
Canada

Ressources naturelles
Canada

FUEL CONSUMPTION GUIDE 2008 GUIDE DE CONSOMMATION DE CARBURANT



ecoENERGY
an ecoACTION initiative

See page 10

ENERGUIDE Ask your dealer for the FUEL CONSUMPTION GUIDE or call 1-800-387-2000.

CITY / VILLE		Regular gasoline Essence ordinaire	HIGHWAY / ROUTE	
7.9 / 36	Estimated annual fuel cost en carburant \$1,260		5.9 / 48	
L/100 km	mi/gal		L/100 km	mi/gal

These estimates are based on the Government of Canada's approved criteria and testing methods. The actual fuel consumption of this vehicle may vary. Refer to the Fuel Consumption Guide.

Données obtenues selon les critères et méthodes d'essai approuvés par le Gouvernement du Canada. La consommation réelle de carburant de ce véhicule peut varier. Consultez le Guide de consommation de carburant.

Canada

Demandez le GUIDE DE CONSOMMATION DE CARBURANT à votre concessionnaire ou composez le 1-800-387-2000.



Canada

Visit the Web site at ecoaction.gc.ca/vehicles to find out more about buying, driving and maintaining your vehicle to save fuel, save money and protect the environment. Find out about this year's ecoENERGY award-winning vehicles. These awards are presented annually to the manufacturers of the most fuel-efficient vehicles in 10 different classes based on EnerGuide fuel consumption ratings.

Call 1-800-387-2000 for free publications and to order additional copies of the *Fuel Consumption Guide*. You can also get a copy of the 2008 *Fuel Consumption Guide* at most new vehicle dealerships.

THIS GUIDE IS PRODUCED BY

Natural Resources Canada (NRCan) in partnership with Transport Canada and vehicle manufacturers. The Office of Energy Efficiency at NRCan thanks the Association of International Automobile Manufacturers of Canada and the Canadian Vehicle Manufacturers' Association for their assistance in the production and distribution of the 2008 *Fuel Consumption Guide*. Special thanks are extended to Transport Canada for collecting and continuously verifying the fuel consumption data provided by vehicle manufacturers.



Association of International
Automobile Manufacturers
of Canada
www.aiamc.com

Canadian Vehicle
Manufacturers'
Association
www.cvma.ca



Understanding the Tables

MODEL

symbol High output — vehicle equipped with an engine that provides more power than the standard engine of the same size

AWD All-wheel drive — vehicle designed to operate with all wheels powered

4WD / 4X4 Four-wheel drive — vehicle designed to operate with either two wheels or four wheels powered. Four-wheel drive mode selected as needed.

FFV Flexible fuel vehicle — vehicle designed to operate on gasoline and ethanol blends of up to 85 percent ethanol

CAR CLASSES

Two-seater **(T)**; Subcompact **(S)**; Compact **(C)**; Mid-size **(M)**; Full-size **(L)**; Station wagon **(W)**.

LIGHT TRUCK CLASSES

Pickup truck; Special purpose vehicle (sport utility vehicle); Minivan **(V)**; Large van **(F)**.

ENGINE SIZE

Total displacement of all cylinders (in litres)

CYLINDERS

Number of engine cylinders or engine rotors; Rotary engine **(R)**

FUEL

Diesel **(D)**; Ethanol (E-85 — 85 percent ethanol blended with gasoline) **(E)**; Regular unleaded gasoline **(X)**; Premium unleaded gasoline **(Z)**.

TRANSMISSION

Automatic **(A)**; Electronic automatic **(E)**; Manual **(M)**; Automatic with a manual mode **(S)**; Continuously variable **(V)**; Manual with automatic clutch **(X)**; Number of gears **(4,5,6,7,8)**; Electronic overdrive **(E)**; Other overdrive **(+)**.

CO₂ EMISSIONS

Carbon dioxide emissions (in kilograms) (based on estimated annual fuel use and fuel type)

Library and Archives Canada Cataloguing in Publication
Fuel consumption guide = Guide de consommation de carburant

Annual

Text in English and French.

Compiled by: Office of Energy Efficiency; produced in collaboration with Transport Canada and vehicle manufacturers.

Available also on the Internet.

ISSN 0225-9214

ISBN 978-0-662-69972-9

Cat. No. M141-5/2008 (Print)

1. Automobiles—Canada—Fuel consumption—Handbooks, manuals, etc.

I. Canada. Office of Energy Efficiency

II. Canada. Natural Resources Canada

III. Canada. Transport Canada

IV. Title: Fuel Consumption Guide

TL151.6 629.25'38 C95-980266-6E Rev.

Library and Archives Canada Cataloguing in Publication
Fuel consumption guide [electronic resource]

Annual

Electronic serial in HTML and PDF formats.

Mode of access: World Wide Web.

Compiled by: Office of Energy Efficiency; produced in collaboration with Transport Canada and vehicle manufacturers.

Other edition available: Guide de consommation de carburant.

Issued also in printed form.

ISSN 1717-466X

ISBN 978-0-662-46528-7

Cat. No. M141-5/2008E-PDF (On-line)

1. Automobiles—Canada—Fuel consumption—Handbooks, manuals, etc.

I. Canada. Office of Energy Efficiency

II. Canada. Natural Resources Canada

III. Canada. Transport Canada

TL151.6 629.25'38 C2005-980283-9

© Her Majesty the Queen in Right of Canada, 2007

Natural Resources Canada's Office of Energy Efficiency

*Leading Canadians to Energy Efficiency at Home,
at Work and on the Road*



Recycled paper

Contents

A message from vehicle manufacturers	2
Introduction	3
The Office of Energy Efficiency	4
About fuel consumption ratings.....	5
Testing procedures for vehicle fuel consumption.....	6
Simulated city course	6
Simulated highway course.....	7
Your fuel consumption may differ from that in the Guide ...	7
Vehicle classes	8
ecoENERGY for Vehicles Awards	9
Winners for 2008.....	9
The EnerGuide Label for Vehicles.....	9
Comparing vehicles.....	11
Conversion between litres per 100 kilometres and miles per gallon	11
Calculating estimated annual fuel use.....	12
Calculating estimated annual fuel cost.....	13
Calculating estimated annual carbon dioxide emissions ...	14
Renewable fuels and greenhouse gas emissions reduction	15
Saving fuel: tips on driving and maintenance	16
The cost of fuel	18
Links to information sources	19
Where to find the Guide	19
Contact us	19
Vehicle tables, including alternative fuel vehicles (open the flap for details)	A
Cars and station wagons.....	A
Minivans and large vans	B
Pickup trucks.....	C
Special purpose vehicles (sport utility vehicles)	D
Award winners	E

A MESSAGE FROM VEHICLE MANUFACTURERS

The 2008 *Fuel Consumption Guide* and the EnerGuide fuel consumption label included with all new light-duty vehicles are produced in cooperation with vehicle manufacturers and Natural Resources Canada and other federal departments.

Purchasing a new vehicle is a major decision involving many factors. The information in this Guide will assist you in comparing relative fuel consumption ratings among vehicles that meet your utility, performance and lifestyle needs. While the fuel consumption ratings of a vehicle are one purchase consideration, the way in which you operate and maintain your vehicle also affects the amount of fuel consumed. To optimize fuel efficiency, your vehicle must be properly maintained and run on clean, high-quality fuels. To reduce the amount of fuel you use, always follow the recommendations for fuel formulation and for vehicle maintenance and operation provided in your owner's manual.

The auto industry was the first industry to sign a voluntary agreement with the Government of Canada to significantly reduce greenhouse gases. The auto industry's commitment will result in the continued introduction of advanced vehicle technologies. Technology is only one part of the solution – we are also committed to informing our customers about the impact of vehicle maintenance and driving habits to significantly reduce fuel consumption.

Together we can reduce the amount of fuel used for personal transportation and the resulting greenhouse gases.



Association of International
Automobile Manufacturers
of Canada
www.aiamc.com

Canadian Vehicle
Manufacturers'
Association
www.cvma.ca





Introduction

The 2008 *Fuel Consumption Guide* provides fuel consumption information about 2008 model year light-duty vehicles, including passenger cars, pickup trucks, minivans, large vans, special purpose vehicles (i.e. sport utility vehicles [SUVs]) and alternative fuel vehicles. The information can be used to compare vehicle fuel consumption and to help you select the most fuel-efficient vehicle that meets your everyday needs.

Reducing fuel consumption means saving money and, more importantly, helping the environment. The annual *Fuel Consumption Guide* is just one of several decision-making tools produced by the ecoENERGY for Personal Vehicles program. This program provides Canadian motorists with helpful tips on buying, driving and maintaining their vehicles to reduce fuel consumption and greenhouse gas (GHG) emissions that contribute to climate change. For more information on this and other ecoACTION initiatives, visit the Web site at **ecoaction.gc.ca**.

Fuel use is an ongoing expense and should be a consideration when purchasing or leasing a vehicle. Choosing the most fuel-efficient and appropriate size of vehicle, driving in a fuel-efficient manner, using your vehicle only when needed and following the manufacturer's recommendations for operating and maintaining your vehicle can save you fuel and money every time you drive. To learn more about how to buy, drive and maintain your vehicle in ways that benefit the environment and the economy, visit the Web site at **ecoaction.gc.ca/vehicles**.

Vehicle use has a significant impact on the environment and our health. GHGs, particularly carbon dioxide (CO₂), and other emissions are produced when fuel is burned in your vehicle's engine. For every litre of gasoline used, about 2.4 kilograms (kg) of CO₂ are generated. Although not directly harmful to our health, CO₂ emissions contribute to climate change.

To find out the fuel consumption ratings and estimated annual fuel costs of new and pre-owned vehicles before you buy or lease, for 1995–2007 vehicles, visit the Web site at **ecoaction.gc.ca/vehicles**.

To request additional copies of the Guide, call 1-800-387-2000 (toll-free).



The Office of Energy Efficiency

Leading Canadians to Energy Efficiency at Home, at Work and on the Road in ways that benefit the environment and the economy

The Office of Energy Efficiency (OEE) at Natural Resources Canada (NRCan) is the Government of Canada's centre of excellence for energy conservation, energy efficiency and alternative fuel information.

The OEE is playing a dynamic leadership role in helping Canadians save millions of dollars in energy costs while addressing the challenges of climate change. The OEE is mandated to renew, strengthen and expand Canada's commitment to energy conservation and energy efficiency.

To learn about the OEE's programs, visit the Web site at **oee.nrcan.gc.ca**.





About fuel consumption ratings

Vehicle manufacturers use standardized testing and analytical procedures, approved by Transport Canada, to generate the vehicle fuel consumption data published in this Guide.

Transport Canada continuously verifies the accuracy of the data received from the vehicle manufacturers, and NRCan uses this data and other information to publish the annual *Fuel Consumption Guide*.

For more information on vehicle fuel consumption testing, visit Transport Canada's Environmental Affairs Web site at **www.tc.gc.ca/programs/environment**.

Manufacturers are required to submit fuel consumption ratings only for light-duty vehicles with a gross vehicle weight of less than 3855 kg (8500 pounds [lb.]) or a curb weight of less than 2722 kg (6000 lb.).

- Gross vehicle weight is the estimated total weight of a road vehicle that is loaded to capacity, including the weight of the vehicle itself plus fuel, passengers, cargo and other miscellaneous items.
- Curb weight is the estimated weight of a road vehicle in operational status with all standard equipment, the weight of fuel at nominal tank capacity and the weight of some optional equipment.

Vehicles that exceed the light-duty gross vehicle weight limit of 3855 kg (8500 lb.) or curb weight limit of 2722 kg (6000 lb.) are not listed in the Guide.

In some cases, vehicle information was unavailable before publication and some new vehicle models may not appear in the printed *Fuel Consumption Guide*. To obtain the latest updated fuel consumption ratings for 2008 light-duty vehicles, visit the Web site at **ecoaction.gc.ca/vehicles** or consult your vehicle manufacturer or dealer for more information.



Testing procedures for vehicle fuel consumption

It would be difficult to drive every model of new vehicle on the road to measure fuel consumption. It would also be almost impossible to consistently duplicate on-road testing results as there are so many variables impacting the vehicle. Instead, a carefully controlled method of testing, including the use of standardized fuels, laboratories and testing equipment, is used to ensure that all vehicles are tested under identical conditions and that the results are consistent and repeatable.

The Federal Test Procedure (FTP) is a standardized laboratory test method used in Canada on new vehicles. Selected prototypes of new vehicles are “run in” for about 6000 kilometres (km) before testing. Vehicles are mounted on a programmable two-wheel laboratory chassis dynamometer. Then a trained driver runs them through simulated city and highway driving cycles. All vehicles, including four-wheel (4X4) and all-wheel drives (AWD), are tested in two-wheel drive mode. However, tests are adjusted to reflect the increased weight and engine load using 4X4 and AWD systems.

Fuel consumption ratings are generated based on test cycles and correction factors that take into account the aerodynamic efficiency, weight, rolling resistance and drive mode of different vehicles and the achievable real-world driving conditions in Canada. Other adjustments are made to reflect the average fuel consumption of vehicle configurations, options and sales mixes sold in Canada.

The FTP is composed of two tests – the city test and the highway test.

Simulated city course

The city test simulates a 12-km, stop-and-go trip with an average speed of 32 km/h and a top speed of 91 km/h. The test runs for 23 minutes and includes 18 stops. About four minutes of test time are spent idling, to represent waiting at traffic lights. The test begins from a cold engine start, which is similar to starting a vehicle after it has been parked overnight during the summer. When the test is completed, the test cycle starts again with a hot engine start, and the first eight minutes of the test are repeated. This simulates restarting a vehicle after it has been warmed up, driven and then stopped for a short time.

Simulated highway course

The highway test simulates a 16-km trip with an average speed of 77 km/h and a top speed of 97 km/h. The test runs for 13 minutes and does not include any stops. However, the speed varies to simulate different kinds of highway and rural roads. The test begins from a hot engine start.

Your fuel consumption may differ from that in the Guide

The Guide provides a reliable comparison of the fuel consumption of different vehicles based on standardized testing methods. The published ratings are for typically equipped vehicles and are adjusted to reflect average real-world driving conditions in Canada. However, no test can simulate all possible combinations of traffic conditions, climate, driving habits and vehicle maintenance.

The ratings that appear on the EnerGuide Label for Vehicles and in the 2008 *Fuel Consumption Guide* show the fuel efficiency that may be achieved with a properly maintained vehicle driven with fuel efficiency in mind.

Your vehicle's fuel consumption may differ from published ratings, depending on how, where and when you drive. Many things can affect the fuel consumption of your vehicle: your driving style and behaviour, vehicle acceleration, braking and driving speed, overall age and operating condition of your vehicle, temperature, weather, traffic, road conditions, and drive systems and powered accessories (e.g. air conditioning) installed on your vehicle.

For more information on vehicle fuel consumption and related topics, including tips to get the most fuel savings out of your new vehicle, visit the Web site at ecoaction.gc.ca/vehicles.

Vehicle classes

In the Guide, cars are divided into six classes – four of which are based on an interior volume (int. vol.) index that combines passenger and trunk or cargo space, and two of which are based on car line (two-seaters and station wagons). Light trucks are divided into four classes – pickup trucks, special purpose vehicles (i.e. sport utility vehicles [SUVs]), minivans and large vans.



TWO-SEATER CAR (T)



STATION WAGON (W)



SUBCOMPACT CAR (S)



PICKUP TRUCK



COMPACT CAR (C)

int. vol. 2830–3115 L (100–110 cu. ft.)



SPECIAL PURPOSE VEHICLE (SUV)



MID-SIZE CAR (M)

int. vol. 3115–3400 L (110–120 cu. ft.)



MINIVAN (V)



FULL-SIZE CAR (L)

int. vol. greater than 3400 L (120 cu. ft.)



LARGE VAN (F)

ecoENERGY for Vehicles Awards

NRCan recognizes the manufacturers of the most fuel-efficient new light-duty vehicles in their class sold in Canada each model year. For more information about current and previous winners, visit the Web site at ecoaction.gc.ca/vehicles.

Winners for 2008

Cars	
Two-seater	smart fortwo
Subcompact	MINI Cooper/Cooper Clubman Toyota Yaris
Compact	Honda Civic Hybrid
Mid-size	Toyota Prius
Full-size	Honda Accord Sedan
Station wagon	Honda Fit
Light trucks	
Pickup truck	Ford Ranger Mazda B2300
Special purpose vehicle	Ford Escape Hybrid
Minivan	Mazda5
Large van	Chevrolet Express Cargo GMC Savana Cargo

See page E1 for fuel consumption information on this year's winners.


The EnerGuide Label for Vehicles

The EnerGuide Label is affixed to all new light-duty vehicles – including passenger cars, pickup trucks, special purpose vehicles and vans – for retail sale in Canada. The EnerGuide Label provides the model-specific fuel consumption for the vehicle to which it is affixed. Use the EnerGuide Label to compare new-vehicle fuel consumption information and identify the most fuel-efficient new vehicle for your everyday needs.

The EnerGuide Label for Vehicles has a standardized design (as illustrated in the overleaf). It is affixed to the vehicle alone or as part of the vehicle options and price label. EnerGuide Labels should remain on new vehicles until they are sold. If a new vehicle has no label, ask the dealer for the manufacturer's fuel consumption ratings for the vehicle, consult this Guide or visit the Web site at ecoaction.gc.ca/vehicles.

The fuel consumption ratings that appear on the EnerGuide Label are provided by vehicle manufacturers and are based on standardized testing procedures and driving cycles performed under controlled conditions.

Use the EnerGuide Label and *Fuel Consumption Guide* to compare the fuel consumption information and the estimated annual fuel cost of vehicles.



- 1** EnerGuide is the official Government of Canada mark for rating and labelling the energy consumption or energy efficiency of products, such as appliances, heating and cooling equipment, new vehicles and houses that have had an energy efficiency evaluation. For more information on EnerGuide, visit the Web site at oee.nrcan.gc.ca/energuide.
- 2** Compare the city and highway fuel consumption ratings of different vehicles to find out which vehicles consume the least amount of fuel.
- 3** Use the estimated annual fuel cost based on fuel type to assess potential fuel costs and savings when comparing vehicles.
- 4** If your new vehicle dealer is out of stock, use the contact information on the label to order your free copy of the 2008 *Fuel Consumption Guide*.

Comparing vehicles

Use the tables in this Guide to compare the estimated annual fuel consumption and costs for different vehicles. The vehicle with the best fuel consumption ratings and lowest estimated annual fuel use will save you fuel and money year after year – even more if fuel prices rise. Remember, the lower the litres per 100 kilometres (L/100 km) ratings, the lower the fuel consumption. Conversely, the higher the miles per gallon (mi./gal.) ratings, the better the fuel use.

Conversion between litres per 100 kilometres and miles per gallon

To convert L/100 km into mi./gal. or mi./gal. into L/100 km, use the following formulas:

$$\text{L/100 km} = \frac{282.48}{\text{mi./gal.}} \qquad \text{mi./gal.} = \frac{282.48}{\text{L/100 km}}$$

Note: 4.546 L = 1 imperial gallon
1 imperial gallon = 1.2 U.S. gallons

CAUTION ON USING U.S. FUEL ECONOMY DATA FOR COMPARISON PURPOSES

For the model year 2008, the United States has implemented additional adjustment factors and testing procedures than those used for Canada. Consequently, fuel efficiency ratings in Canada and the United States can differ significantly.

Furthermore, U.S. fuel economy ratings are listed in miles per U.S. gallon (the imperial gallon is 20 percent larger than the U.S. gallon) and are averages based on U.S. sales and adjustment factors for each particular model.

Calculating estimated annual fuel use

FUEL CONSUMPTION

Estimated annual fuel use and fuel cost are based on an annual driving distance of 20 000 km with a mix of 55 percent city driving and 45 percent highway driving.

You can use the following formula to calculate your estimated annual fuel consumption and assess potential savings when comparing vehicles:

Annual fuel consumption (in litres) =

$$\frac{\text{annual distance travelled (km)} \times \text{fraction of city driving} \times \text{city fuel consumption rating (L/100 km)}}{100} + \frac{\text{annual distance travelled (km)} \times \text{fraction of highway driving} \times \text{highway fuel consumption rating (L/100 km)}}{100}$$

For example, if we use the sample EnerGuide Label ratings (page 10)

$$\frac{20\,000 \text{ km} \times 0.55 \times 7.9 \text{ L}}{100 \text{ km}} + \frac{20\,000 \text{ km} \times 0.45 \times 5.9 \text{ L}}{100 \text{ km}} = 1400 \text{ L}$$

The estimated annual fuel consumption is 1400 L.

REMEMBER: The lower the fuel consumption rating in L/100 km and the lower your estimated annual fuel use, the greater your fuel savings – year after year.

 Calculating estimated annual fuel cost**FUEL COST**

Estimated fuel costs for 2008 are based on forecast prices of 90¢/L for regular gasoline, \$1/L for premium gasoline and 90¢/L for diesel fuel.

Fuel prices for alternative fuels are not provided in the Guide due to differences in availability.

You can use the following formula to calculate your estimated annual fuel cost and assess potential savings when comparing vehicles:

$$\text{Annual fuel cost} = \text{annual fuel consumption} \times \text{fuel cost (¢/L)}$$

For example, if we use the sample EnerGuide Label ratings (page 10) and fuel cost per litre of regular gasoline (90¢/L)

$$1400 \text{ L} \times 90¢/\text{L} = \$1,260$$

The estimated annual fuel cost is \$1,260.

REMEMBER: Higher fuel prices than the above forecasts will result in annual costs greater than those printed in the Guide and on the EnerGuide Label.



Calculating estimated annual carbon dioxide emissions

Whenever your vehicle is using fuel, it produces emissions including greenhouse gases (GHGs). Carbon dioxide (CO₂) is a primary GHG, and the amount of CO₂ your vehicle generates depends on the amount and type of fuel used. For every litre of gasoline used, about 2.4 kg of CO₂ are produced; for every litre of diesel fuel, about 2.7 kg of CO₂ are produced.

Vehicle technology also influences the level of CO₂ emissions from a vehicle. For example, a modern diesel vehicle is inherently more fuel efficient than its gasoline equivalent. And for the same distance travelled, a modern diesel can reduce CO₂ emissions by about 20 percent compared with those from a similar gasoline vehicle, even though its per litre CO₂ emissions are higher. Hybrid gasoline-electric vehicles can also reduce CO₂ emissions through increased fuel efficiency and reduced fuel use.

CO₂ emissions are calculated by multiplying the vehicle's estimated annual fuel consumption by a conversion factor for the type of fuel used.

For example, if we use the estimated annual fuel consumption derived from the sample EnerGuide Label (page 10)

$$1400 \text{ L} \times 2.4 \text{ kg CO}_2/\text{L gasoline} = 3360 \text{ kg CO}_2$$

The estimated annual CO₂ emissions are 3360 kg of CO₂.

REMEMBER: The lower the CO₂ emissions, the lower the impact on the environment.



Renewable fuels and greenhouse gas emissions reduction

In addition to choosing the most fuel-efficient vehicle for your everyday needs, your fuel choice can further reduce your GHG emissions. For example, ethanol and biodiesel are renewable fuels made from plant materials that absorb CO₂ while growing. Because of this, using ethanol or biodiesel in place of non-renewable fossil fuels reduces GHG emissions. The level of GHG emissions reduction provided by ethanol and biodiesel blended fuels depends on a number of factors, including the percentage of ethanol or biodiesel in the fuel blend.

All major vehicle manufacturers design their vehicles to run year-round on gasoline containing an ethanol blend of up to 10 percent (E-10) without any engine modification. Check your owner's manual to confirm. E-10 is now available at many service stations across Canada. Visit the Refuelling Stations page at alternativefuels.gc.ca to find an E-10 retailer located near you.

Ethanol blends of up to 85 percent ethanol (E-85) and 15 percent unleaded gasoline can be used in place of 100 percent gasoline in specially designed flexible-fuel vehicles (FFVs). Refer to the tables in this Guide for FFV model availability and fuel consumption information.

Depending on the percentage of ethanol blended with gasoline, the use of ethanol in fuel can reduce CO₂ emissions though its use may also result in increased fuel consumption compared with gasoline.

Biodiesel is another fuel made from renewable resources (plant or animal materials). B-5 blends (diesel with up to 5 percent biodiesel) can reduce overall CO₂ emissions compared with unblended diesel fuel. Most new diesel powered vehicles can operate on B-5 year-round without any engine modification; check your owner's manual to confirm.

Whether your fuel choice is gasoline, ethanol-blended gasoline, diesel, biodiesel-blended diesel, or other alternative fuels, consult your owner's manual for the manufacturer's recommended fuels for your vehicle.

For more information on these and other alternative fuels, visit alternativefuels.gc.ca.



Saving fuel: tips on driving and maintenance

Once you have chosen the most fuel-efficient vehicle for your everyday needs, you can achieve additional savings and reduce your vehicle's impact on the environment by following some tips.

- **Consult your owner's manual.** It contains important information about how to drive and maintain your vehicle for optimum performance and efficiency.
- **Follow the manufacturer's recommended maintenance schedule.** A poorly maintained vehicle can cost the equivalent of up to 15¢ per litre more on fuel each time you fill up.
- **Check fluid levels at least once a month.** Check and change the engine oil, engine coolant, transmission fluid and power steering fluid according to the manufacturer's recommendations in your owner's manual. Also check around and under the vehicle for fluid leaks; and if there are leaks, have them repaired.
- **Measure your tire pressure at least once a month.** Inflate cold tires to the recommended pressure. The correct tire inflation information for your vehicle is usually indicated near the driver's door, in the glove compartment or in the owner's manual. For every 28 kilopascals (4 pounds per square inch) of under-inflation, fuel use increases by about 2 percent. Properly inflated tires will last longer, make your vehicle safer to drive and save fuel.
- **Reduce idling.** If you are stopped for more than 10 seconds, except while in traffic, turn off your engine. It has minimal impact on the starter system, and idling for more than 10 seconds uses more fuel than it takes to restart your engine.
- **Warm up your vehicle by driving it at a moderate speed.** In most cases, you need no more than 30 seconds of idling from a cold start on winter days. (Of course, ensure your windows are free of ice and snow before driving.) Vehicle components, such as wheel bearings, steering, suspension, transmission and tires, are best warmed up by driving the vehicle.
- **Use a block heater in the winter to warm your engine before starting.** A cold engine is at its worst for fuel consumption, engine wear and exhaust emissions. Block heaters can improve overall winter fuel economy by as much as 10 percent by pre-warming the engine, coolant and oil. Use an automatic timer to turn on the block heater for no more than two hours before you plan to drive.

- **Do not overuse your remote starter.** People with remote starters tend to start their vehicles long before they are ready to drive. Remote starts can result in needless idling and wasted fuel. If you use a remote starter, start your vehicle shortly before you are ready to drive away.
- **Avoid speeding.** Decreasing your highway speed from 120 km/h to 100 km/h can reduce your fuel consumption by up to 20 percent.
- **Use cruise control.** Under normal driving conditions, cruise control saves fuel on the highway by keeping your speed constant and avoiding inadvertent speeding. Check your owner's manual regarding the safe operation of your vehicle's cruise control system.
- **Use your air conditioning sparingly.** Air conditioning can increase fuel consumption by up to 20 percent due to the extra load on the engine. Use your vehicle's flow-through ventilation on the highway, or open a window during city driving. If you use your vehicle's air conditioning, set the controls to a comfort level that allows the system to shut off once the vehicle's interior is cool. Many new vehicles use the air conditioner to help to defog or defrost the windows. (Of course, make sure that you can see clearly out of your windows when choosing temperature and vent settings.) Refer to the owner's manual for information on your vehicle's air-conditioning system.
- **Remove unnecessary weight.** If you add weight to your vehicle for extra traction in the winter months, remember to remove it when the snow melts. Unnecessary weight can result in wasted fuel and needless CO₂ emissions.
- **Take off the roof rack.** A loaded or empty roof rack increases fuel consumption through aerodynamic drag. A removable roof rack, installed only when needed, is your best option.
- **Adopt fuel-efficient driving habits.** Accelerate smoothly, as abrupt starts and stops waste fuel. Plan your driving and look ahead of traffic. Anticipate problems and keep a safe distance between your vehicle and the one ahead to avoid sudden braking.
- **Make one long trip instead of several short trips.** Taking short trips (less than 5 km) burns more fuel, regardless of the season, because the engine and drivetrain do not reach their most efficient operating temperatures.
- **Leave the vehicle at home, or park partway to your destination.** Walk, cycle, car pool or take public transit whenever you can.



The cost of fuel

The following chart shows a range of fuel costs based on various fuel prices and litres of fuel used.

Litres	Cost/L					
	80¢/L	90¢/L	\$1.00/L	\$1.10/L	\$1.20/L	\$1.30/L
700	\$560	\$630	\$700	\$770	\$840	\$910
800	\$640	\$720	\$800	\$880	\$960	\$1,040
900	\$720	\$810	\$900	\$990	\$1,080	\$1,170
1000	\$800	\$900	\$1,000	\$1,100	\$1,200	\$1,300
1100	\$880	\$990	\$1,100	\$1,210	\$1,320	\$1,430
1200	\$960	\$1,080	\$1,200	\$1,320	\$1,440	\$1,560
1300	\$1,040	\$1,170	\$1,300	\$1,430	\$1,560	\$1,690
1400	\$1,120	\$1,260	\$1,400	\$1,540	\$1,680	\$1,820
1500	\$1,200	\$1,350	\$1,500	\$1,650	\$1,800	\$1,950
1600	\$1,280	\$1,440	\$1,600	\$1,760	\$1,920	\$2,080
1700	\$1,360	\$1,530	\$1,700	\$1,870	\$2,040	\$2,210
1800	\$1,440	\$1,620	\$1,800	\$1,980	\$2,160	\$2,340
1900	\$1,520	\$1,710	\$1,900	\$2,090	\$2,280	\$2,470
2000	\$1,600	\$1,800	\$2,000	\$2,200	\$2,400	\$2,600
2100	\$1,680	\$1,890	\$2,100	\$2,310	\$2,520	\$2,730
2200	\$1,760	\$1,980	\$2,200	\$2,420	\$2,640	\$2,860
2300	\$1,840	\$2,070	\$2,300	\$2,530	\$2,760	\$2,990
2400	\$1,920	\$2,160	\$2,400	\$2,640	\$2,880	\$3,120
2500	\$2,000	\$2,250	\$2,500	\$2,750	\$3,000	\$3,250
2600	\$2,080	\$2,340	\$2,600	\$2,860	\$3,120	\$3,380
2700	\$2,160	\$2,430	\$2,700	\$2,970	\$3,240	\$3,510
2800	\$2,240	\$2,520	\$2,800	\$3,080	\$3,360	\$3,640
2900	\$2,320	\$2,610	\$2,900	\$3,190	\$3,480	\$3,770
3000	\$2,400	\$2,700	\$3,000	\$3,300	\$3,600	\$3,900
3100	\$2,480	\$2,790	\$3,100	\$3,410	\$3,720	\$4,030
3200	\$2,560	\$2,880	\$3,200	\$3,520	\$3,840	\$4,160
3300	\$2,640	\$2,970	\$3,300	\$3,630	\$3,960	\$4,290
3400	\$2,720	\$3,060	\$3,400	\$3,740	\$4,080	\$4,420
3500	\$2,800	\$3,150	\$3,500	\$3,850	\$4,200	\$4,500
3600	\$2,880	\$3,240	\$3,600	\$3,960	\$4,320	\$4,680
3700	\$2,960	\$3,330	\$3,700	\$4,070	\$4,440	\$4,810
3800	\$3,040	\$3,420	\$3,800	\$4,180	\$4,560	\$4,940
3900	\$3,120	\$3,510	\$3,900	\$4,290	\$4,680	\$5,070
4000	\$3,200	\$3,600	\$4,000	\$4,400	\$4,800	\$5,200

For the fuel consumption of specific vehicles, check the “FUEL (L)/YEAR” column in the tables in this Guide.



Links to information sources

- Personal transportation, technologies and fuels: **oee.nrcan.gc.ca/transportation/personal**
 - Office of Energy Efficiency: **oee.nrcan.gc.ca**
 - ecoACTION: **ecoaction.gc.ca**
 - Environment Canada: **www.ec.gc.ca**
 - Transport Canada: **www.tc.gc.ca**
 - Association of International Automobile Manufacturers of Canada*: **www.aiamc.com**
 - Canadian Vehicle Manufacturers' Association*: **www.cvma.ca**
 - Canadian Automobile Dealers Association: **www.cada.ca**
 - Canadian Automobile Association: **www.caa.ca**
- * Includes links to vehicle manufacturer Web sites*



Where to find the Guide

Copies of this Guide are available at:

- New-vehicle dealerships
- Most local, provincial and territorial motor vehicle licence agency offices
- Participating credit union offices across Canada
- Participating Caisses populaires et d'économie Desjardins in Quebec
- Participating Canadian Automobile Association offices



Contact us

For more information and tips on buying, driving and maintaining your vehicle to save money and fuel, as well as reduce GHG emissions, visit the Web site at **vehicles.gc.ca**. To obtain additional copies of this or other free publications on energy efficiency, please contact:

Energy Publications
Office of Energy Efficiency
Natural Resources Canada
c/o St. Joseph Communications
Order Processing Unit
1165 Kenaston Street
PO Box 9809 Station T
Ottawa ON K1G 6S1

Tel.: 1-800-387-2000 (toll-free)

Fax: 613-740-3114

TTY: 613-996-4397 (teletype for the hearing-impaired)

E-mail: auto.smart@nrcan.gc.ca

Web site: **ecoaction.gc.ca/vehicles**



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N°OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES  OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSOMMATION					CO ₂ EMISSIONS (kg) / YEAR		
						City / VILLE	Highway / ROUTE	City / VILLE	Highway / ROUTE	PER YEAR / PAR AN	 FUEL (L) / YEAR	CARBURANT (L) / AN	
													L/100 km
ACURA													
CSX	C	2.0	4	X	M5+	8.7	6.4	32	44	1,386	1540	3696	
CSX	C	2.0	4	Z	M6+	10.2	6.8	28	42	1,740	1740	4176	
CSX	C	2.0	4	X	S5E	9.5	6.5	30	43	1,458	1620	3888	
RLAWD	M	3.5	6	Z	S5E	12.9	8.4	22	34	2,160	2160	5184	
TL	M	3.2	6	Z	S5E	11.6	7.5	24	38	1,960	1960	4704	
TL	M	3.5	6	Z	M6+	11.6	7.3	24	39	1,940	1940	4656	
TL	M	3.5	6	Z	S5E	12.3	7.8	23	36	2,060	2060	4944	
TSX	C	2.4	4	Z	M6+	10.8	7.2	26	39	1,840	1840	4416	
TSX	C	2.4	4	Z	S5E	10.5	7.0	27	40	1,780	1780	4272	
ASTON MARTIN													
DB9 COUPE AUTO	S	5.9	12	Z	S6	19.2	11.3	15	25	3,120	3120	7488	



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N°OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSOMMATION					CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN			
						City / VILLE	Highway / ROUTE	L/100 km	mi./gal.	Highway / ROUTE		 PER YEAR / PAR AN	FUEL (L) / YEAR CARBURANT (L) / AN	Litres
A4 QUATTRO	C	2.0	4	Z	M6+	10.6	7.0	27	40	1,800	1800	4320		
A4 QUATTRO	C	2.0	4	Z	S6+	10.8	7.2	26	39	1,840	1840	4416		
A4 QUATTRO	C	3.1	6	Z	M6+	13.6	8.1	21	35	2,220	2220	5328		
A4 QUATTRO	C	3.1	6	Z	S6+	12.1	8.0	23	35	2,060	2060	4944		
A5 QUATTRO	S	3.2	6	Z		DATA NOT YET AVAILABLE - DONNÉES NON DISPONIBLE								
A6 AVANT QUATTRO	W	3.1	6	Z	S6+	12.5	8.1	23	35	2,100	2100	5040		
A6 QUATTRO	M	3.1	6	Z	S6+	12.1	8.0	23	35	2,060	2060	4944		
A6 QUATTRO	M	4.2	8	Z	S6+	13.1	8.8	22	32	2,240	2240	5376		
A8	M	4.2	8	Z	S6+	13.1	8.8	22	32	2,240	2240	5376		
A8L	L	4.2	8	Z	S6+	13.1	8.8	22	32	2,240	2240	5376		
A8L	L	6.0	12	Z	S6+	16.4	10.4	17	27	2,740	2740	6576		
R8	T	4.2	8	Z	M6+	16.9	10.2	17	28	2,780	2780	6672		

DB9 COUPE MANUAL	S	5.9	12	Z	M6	20.9	12.3	14	23	3,400	3400	8160
DB9 VOLANTE AUTO	S	5.9	12	Z	S6	18.8	11.8	15	24	3,140	3140	7536
DB9 VOLANTE MANUAL	S	5.9	12	Z	M6	20.9	12.3	14	23	3,400	3400	8160
V8 VANTAGE ASM	T	4.3	8	Z	X6	16.1	10.1	18	28	2,680	2680	6432
V8 VANTAGE MANUAL	T	4.3	8	Z	M6	17.2	10.8	16	26	2,860	2860	6864
AUDI												
A3	W	2.0	4	Z	M6+	10.1	6.8	28	42	1,720	1720	4128
A3	W	2.0	4	Z	S6+	9.3	6.9	30	41	1,640	1640	3936
A3 QUATTRO	W	3.2	6	Z	S6+	11.3	8.0	25	35	1,960	1960	4704
A4	C	2.0	4	Z	M6+	10.2	6.3	28	45	1,700	1700	4080
A4	C	2.0	4	Z	V+	9.8	6.7	29	42	1,680	1680	4032
A4 AVANT QUATTRO	W	2.0	4	Z	M6+	10.6	7.0	27	40	1,800	1800	4320
A4 AVANT QUATTRO	W	2.0	4	Z	S6+	10.8	7.2	26	39	1,840	1840	4416
A4 AVANT QUATTRO	W	3.1	6	Z	M6+	13.6	8.1	21	35	2,220	2220	5328
A4 AVANT QUATTRO	W	3.1	6	Z	S6+	12.1	8.0	23	35	2,060	2060	4944
A4 CABRIOLET	S	2.0	4	Z	V+	9.8	6.7	29	42	1,680	1680	4032
A4 CABRIOLET QUATTRO	S	3.1	6	Z	S6+	12.5	8.1	23	35	2,100	2100	5040
A4 CABRIOLET QUATTRO	S	2.0	4	Z	S6+	10.8	7.2	26	39	1,840	1840	4416

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

A1

R8		T	4.2	8	Z	S6+	16.1	10.6	18	27	2,720	2720	6528
RS4		C	4.2	8	Z	M6+	16.9	10.2	17	28	2,780	2780	6672
S4		C	4.2	8	Z	M6+	16.0	10.2	18	28	2,680	2680	6432
S4		C	4.2	8	Z	S6+	15.4	9.5	18	30	2,540	2540	6096
S4 AVANT		W	4.2	8	Z	M6+	16.0	10.2	18	28	2,680	2680	6432
S4 AVANT		W	4.2	8	Z	S6+	15.5	9.5	18	30	2,560	2560	6144
S4 CABRIOLET		S	4.2	8	Z	M6+	16.2	10.3	17	27	2,720	2720	6528
S4 CABRIOLET		S	4.2	8	Z	S6+	15.5	9.5	18	30	2,560	2560	6144
S5		S	4.2	8	Z	M6+	15.1	9.4	19	30	2,520	2520	6048
S6		M	5.2	10	Z	S6+	15.2	10.4	19	27	2,600	2600	6240
S8		M	5.2	10	Z	S6+	16.6	10.8	17	26	2,800	2800	6720
TT COUPE		S	2.0	4	Z	S6+	9.0	6.3	31	45	1,560	1560	3744
TT COUPE QUATTRO		S	3.2	6	Z	M6+	12.6	8.1	22	35	2,120	2120	5088
TT COUPE QUATTRO		S	3.2	6	Z	S6+	11.7	8.3	24	34	2,040	2040	4896
TT ROADSTER		T	2.0	4	Z	S6+	9.3	6.9	30	41	1,640	1640	3936
TT ROADSTER QUATTRO		T	3.2	6	Z	M6+	12.6	8.1	22	35	2,120	2120	5088
TT ROADSTER QUATTRO		T	3.2	6	Z	S6+	11.7	8.3	24	34	2,040	2040	4896

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

A2



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N°OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES OVERDRIVE / SURMULTIPLICATION 	CONSUMPTION / CONSOMMATION						CO₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO₂ (kg) / AN				
						City / VILLE		Highway / ROUTE		L/100 km	mi./gal.		PER YEAR / PAR AN	FUEL (L) / YEAR CARBURANT (L) / AN	Litres	
						City / VILLE		Highway / ROUTE								
						City / VILLE		Highway / ROUTE								
						City / VILLE		Highway / ROUTE								
						City / VILLE		Highway / ROUTE								
						City / VILLE		Highway / ROUTE								
						City / VILLE		Highway / ROUTE								
						City / VILLE		Highway / ROUTE								
						City / VILLE		Highway / ROUTE								

135i CABRIOLET	S	3.0	6	Z	E6+	11.9	7.6	24	37	1,980	1980	4752
135i COUPE	S	3.0	6	Z	M6+	12.0	7.9	24	36	2,020	2020	4848
135i COUPE	S	3.0	6	Z	E6+	11.7	7.7	24	37	1,980	1980	4752
323i	C	2.5	6	Z	M6+	11.1	6.9	25	41	1,840	1840	4416
323i	C	2.5	6	Z	E6+	11.2	6.7	25	42	1,840	1840	4416
328i	C	3.0	6	Z	M6+	11.2	7.0	25	40	1,860	1860	4464
328i	C	3.0	6	Z	E6+	11.1	7.0	25	40	1,860	1860	4464
328i CABRIOLET	S	3.0	6	Z	M6+	12.2	7.4	23	38	2,020	2020	4848
328i CABRIOLET	S	3.0	6	Z	E6+	11.4	7.2	25	39	1,900	1900	4560
328i COUPE	S	3.0	6	Z	M6+	11.2	7.0	25	40	1,860	1860	4464
328i COUPE	S	3.0	6	Z	E6+	11.1	7.0	25	40	1,860	1860	4464
328xi	C	3.0	6	Z	M6+	12.3	7.6	23	37	2,040	2040	4896
328xi	C	3.0	6	Z	E6+	11.9	7.9	24	36	2,020	2020	4848
328xi COUPE	S	3.0	6	Z	M6+	12.3	7.6	23	37	2,040	2040	4896
328xi COUPE	S	3.0	6	Z	E6+	11.9	7.9	24	36	2,020	2020	4848
328xi TOURING	W	3.0	6	Z	M6+	12.3	7.6	23	37	2,040	2040	4896
328xi TOURING	W	3.0	6	Z	E6+	11.9	7.9	24	36	2,020	2020	4848
335i	C	3.0	6	Z	M6+	12.4	7.7	23	37	2,060	2060	4944

FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER. ▲
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

528xi		M	3.0	6	Z	E6+	11.9	7.9	24	36	2,020	2020	4848
535i		M	3.0	6	Z	M6+	12.4	7.7	23	37	2,060	2060	4944
535i		M	3.0	6	Z	E6+	11.9	7.6	24	37	1,980	1980	4752
535xi		M	3.0	6	Z	M6+	12.6	8.0	22	35	2,100	2100	5040
535xi		M	3.0	6	Z	E6+	12.3	7.9	23	36	2,060	2060	4944
535xi TOURING		W	3.0	6	Z	M6+	13.5	8.5	21	33	2,240	2240	5376
535xi TOURING		W	3.0	6	Z	E6+	12.8	8.2	22	34	2,140	2140	5136
550i		M	4.8	8	Z	M6+	14.0	9.1	20	31	2,360	2360	5664
550i		M	4.8	8	Z	E6+	13.4	8.5	21	33	2,240	2240	5376
650i CABRIOLET		S	4.8	8	Z	M6+	15.0	9.6	19	29	2,520	2520	6048
650i CABRIOLET		S	4.8	8	Z	E6+	13.8	8.6	20	33	2,300	2300	5520
650i COUPE		S	4.8	8	Z	M6+	14.0	9.1	20	31	2,360	2360	5664
650i COUPE		S	4.8	8	Z	E6+	13.4	8.5	21	33	2,240	2240	5376
750i		L	4.8	8	Z	E6+	13.8	8.6	20	33	2,300	2300	5520
750Li		L	4.8	8	Z	E6+	13.8	8.6	20	33	2,300	2300	5520
760Li		L	6.0	12	Z	E6+	15.9	9.6	18	29	2,620	2620	6288
M COUPE		T	3.2	6	Z	M6+	14.5	9.0	19	31	2,400	2400	5760
M ROADSTER		T	3.2	6	Z	M6+	14.5	9.0	19	31	2,400	2400	5760

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

**A****AUTOMOBILES**

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSOMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN	
						City / VILLE		Highway / ROUTE	mi./gal.	PER YEAR / PAR AN			FUEL (L) / YEAR CARBURANT (L) / AN
						L/100 km	L/100 km			L/100 km	L/100 km		
M3	C	4.0	8	Z	M6+	15.3	9.7	18	29	2,560	2560	6144	
M3 COUPE	S	4.0	8	Z	M6+	15.3	9.7	18	29	2,560	2560	6144	
M5	M	5.0	10	Z	M6+	19.9	11.9	14	24	3,260	3260	7824	
M5	M	5.0	10	Z	X7+	18.4	11.0	15	26	3,020	3020	7248	
M6	S	5.0	10	Z	M6+	19.9	11.9	14	24	3,260	3260	7824	
M6	S	5.0	10	Z	X7+	18.4	11.0	15	26	3,020	3020	7248	
M6 CABRIOLET	S	5.0	10	Z	M6+	20.3	11.7	14	24	3,280	3280	7872	
M6 CABRIOLET	S	5.0	10	Z	X7+	18.0	10.8	16	26	2,960	2960	7104	
Z4 3.0si	T	3.0	6	Z	M6+	11.2	7.0	25	40	1,860	1860	4464	
Z4 3.0si	T	3.0	6	Z	E6+	11.1	7.0	25	40	1,860	1860	4464	
BUICK													
ALLURE	M	3.6	6	X	E4E	12.4	7.8	23	36	1,854	2060	4944	

**A****AUTOMOBILES**

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSOMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
						City / VILLE		Highway / ROUTE	City / VILLE	mi./gal.	PER YEAR / PAR AN 		FUEL (L) / YEAR CARBURANT (L) / AN 	Litres
XLR	T	4.6	8	Z	S6E	14.1	8.1	20	35	2,280	2280	5472		
CHEVROLET														
AVEO	C	1.6	4	X	M5+	8.7	5.8	32	49	1,332	1480	3552		
AVEO	C	1.6	4	X	E4E	9.0	6.2	31	46	1,404	1560	3744		
AVEO 5	S	1.6	4	X	M5+	8.7	5.8	32	49	1,332	1480	3552		
AVEO 5	S	1.6	4	X	E4E	9.0	6.2	31	46	1,404	1560	3744		
COBALT	S	2.2	4	X	M5+	9.2	5.9	31	48	1,386	1540	3696		
COBALT	S	2.2	4	X	E4E	9.2	6.4	31	44	1,440	1600	3840		
COBALT	S	2.4	4	Z	M5+	9.3	6.2	30	46	1,580	1580	3792		
COBALT	S	2.4	4	Z	E4E	9.4	6.4	30	44	1,600	1600	3840		
CORVETTE	T	6.2	8	Z	M6+	12.9	7.7	22	37	2,120	2120	5088		
CORVETTE	T	6.2	8	Z	S6E	14.3	8.1	20	35	2,300	2300	5520		

ALLURE	M	3.8	6	X	E4E	12.0	7.2	24	39	1,764	1960	4704
ALLURE	M	5.3	8	Z	E4E	12.9	8.1	22	35	2,160	2160	5184
LUCERNE	L	3.8	6	X	E4E	12.0	7.2	24	39	1,764	1960	4704
LUCERNE	L	4.6	8	Z	E4E	13.8	8.7	20	32	2,300	2300	5520
CADILLAC												
CTS	M	3.6	6	X	M6+	13.6	8.1	21	35	1,998	2220	5328
CTS	M	3.6	6	X	S6E	11.8	7.5	24	38	1,782	1980	4752
CTS#	M	3.6	6	X	M6+	14.0	8.0	20	35	2,034	2260	5424
CTS#	M	3.6	6	X	S6E	12.2	7.5	23	38	1,818	2020	4848
CTSAWD	M	3.6	6	X	S6E	12.3	8.0	23	35	1,872	2080	4992
CTSAWD#	M	3.6	6	X	S6E	12.5	7.5	23	38	1,854	2060	4944
DTS	L	4.6	8	Z	E4E	13.8	8.7	20	32	2,300	2300	5520
STS	M	4.4	8	Z	S6E	16.4	10.3	17	27	2,740	2740	6576
STS	M	4.6	8	Z	S6E	14.1	8.1	20	35	2,280	2280	5472
STS#	M	3.6	6	X	S6E	12.2	7.5	23	38	1,818	2020	4848
STSAWD	M	4.6	8	Z	S6E	15.4	9.3	18	30	2,540	2540	6096
STSAWD#	M	3.6	6	X	S6E	12.5	7.5	23	38	1,854	2060	4944
XLR	T	4.4	8	Z	S6E	15.6	9.7	18	29	2,580	2580	6192

FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER. ▲
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

A5

CORVETTE	T	7.0	8	Z	M6+	14.2	8.2	20	34	2,300	2300	5520
IMPALA	L	3.5	6	X	E4E	11.5	7.2	25	39	1,728	1920	4608
IMPALA FFV	L	3.5	6	X	E4E	11.3	7.0	25	40	1,692	1880	4512
	L	3.5	6	E	E4E	14.8	9.2	19	31		2460	2460
IMPALA FFV	L	3.9	6	X	E4E	11.5	7.2	25	39	1,710	1900	4560
	L	3.9	6	E	E4E	15.7	9.7	18	29		2600	2600
IMPALA	L	5.3	8	Z	E4E	12.9	8.1	22	35	2,160	2160	5184
MALIBU	M	2.4	4	X	E4E	9.6	6.5	29	43	1,476	1640	3936
MALIBU	M	3.5	6	X	E4E	11.5	7.2	25	39	1,728	1920	4608
MALIBU	M	3.6	6	X	S6E	12.2	7.8	23	36	1,836	2040	4896
MALIBU HYBRID	M	2.4	4	X	E4E	8.5	6.2	33	46	1,350	1500	3600
CHRYSLER												
300	L	3.5	6	X	E4+	12.2	8.1	23	35	1,854	2060	4944
300 AWD	L	3.5	6	X	S5+	13.9	9.0	20	31	2,106	2340	5616
300C (MDS)	L	5.7	8	X	S5+	13.6	8.6	21	33	2,052	2280	5472
300C AWD (MDS)	L	5.7	8	X	S5+	13.6	9.0	21	31	2,088	2320	5568
300C SRT8	L	6.1	8	Z	S5+	16.5	10.9	17	26	2,800	2800	6720
CROSSFIRE	T	3.2	6	Z	M6+	13.9	8.5	20	33	2,300	2300	5520

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

A6



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION  No. of GEARS / Nbre de VITESSES OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSUMMATION					CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
						City / VILLE	Highway / ROUTE	City / VILLE	Highway / ROUTE	 PER YEAR / PAR AN		 FUEL (L) / YEAR CARBURANT (L) / AN	Litres
CROSSFIRE	T	3.2	6	Z	S5+	11.2	78	25	36	1,940	1940	4656	
CROSSFIRE ROADSTER	T	3.2	6	Z	M6+	13.9	8.5	20	33	2,300	2300	5520	
CROSSFIRE ROADSTER	T	3.2	6	Z	S5+	11.2	78	25	36	1,940	1940	4656	
PT CRUISER CONVERTIBLE	C	2.4	4	X	M5+	9.8	7.5	29	38	1,584	1760	4224	
PT CRUISER CONVERTIBLE	C	2.4	4	X	E4+	11.0	8.1	26	35	1,746	1940	4656	
PT TURBO CONVERTIBLE	C	2.4	4	X	E4+	11.4	8.1	25	35	1,782	1980	4752	
SEBRING CONVERTIBLE	C	2.4	4	X	E4+	10.3	6.9	27	41	1,584	1760	4224	
SEBRING CONVERTIBLE	C	3.5	6	X	S6+	12.9	7.7	22	37	1,908	2120	5088	
SEBRING CONVERTIBLE FFV	C	2.7	6	X	E4+	11.5	7.8	25	36	1,764	1960	4704	
	C	2.7	6	E	E4+	16.4	10.4	17	27		2740	2740	
SEBRING SEDAN	M	2.4	4	X	E4+	9.7	6.6	29	43	1,494	1660	3984	
SEBRING SEDAN	M	3.5	6	X	S6+	12.9	7.7	22	37	1,908	2120	5088	



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES  OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSUMMATION						 FUEL (L) / YEAR CARBURANT (L) / AN	CO ₂ EMISSIONS (kg) / YEAR
						City / VILLE	L/100 km	Highway / ROUTE	City / VILLE	mi./gal.	Highway / ROUTE		
CHARGER (MDS)	L	5.7	8	X	S5+	13.6	8.6	21	33	2,052	2280	5472	
CHARGER AWD	L	3.5	6	X	S5+	13.9	9.0	20	31	2,106	2340	5616	
CHARGER AWD (MDS)	L	5.7	8	X	S5+	13.6	9.0	21	31	2,088	2320	5568	
CHARGER SRT8	L	6.1	8	Z	S5+	16.5	10.9	17	26	2,800	2800	6720	
VIPER SRT10 CONVERTIBLE	T	8.4	10	Z	M6+	16.8	9.2	17	31	2,680	2680	6432	
VIPER SRT10 COUPE	T	8.4	10	Z	M6+	16.8	9.2	17	31	2,680	2680	6432	
FERRARI													
430 SCUDERIA	T	4.3	8	Z	S6+	19.0	12.4	15	23	3,200	3200	7680	
599 GTB FIORANO	M	6.0	12	Z	M6+	19.8	13.1	14	22	3,360	3360	8064	
599 GTB FIORANO	M	6.0	12	Z	S6+	20.1	13.2	14	21	3,400	3400	8160	
612 SCAGLIETTI	M	5.7	12	Z	M6+	22.3	13.0	13	22	3,620	3620	8688	
612 SCAGLIETTI	M	5.7	12	Z	S6+	22.8	12.8	12	22	3,660	3660	8784	

SEBRING SEDAN AWD	M	3.5	6	X	S6+	13.8	8.4	20	34	2,052	2280	5472
SEBRING SEDAN FFV	M	2.7	6	X	E4+	10.8	7.2	26	39	1,656	1840	4416
	M	2.7	6	E	E4+	15.1	9.7	19	29		2540	2540
DODGE												
AVENGER	M	2.4	4	X	E4+	9.7	6.6	29	43	1,494	1660	3984
AVENGER	M	3.5	6	X	S6+	12.9	7.7	22	37	1,908	2120	5088
AVENGER AWD	M	3.5	6	X	S6+	13.8	8.4	20	34	2,052	2280	5472
AVENGER FFV	M	2.7	6	X	E4+	10.8	7.2	26	39	1,656	1840	4416
	M	2.7	6	E	E4+	15.5	10.0	18	28		2600	2600
CALIBER	M	1.8	4	X	M5+	8.5	6.8	33	42	1,386	1540	3696
CALIBER	M	2.0	4	X	VE	9.0	7.3	31	39	1,494	1660	3984
CALIBER	M	2.4	4	X	M5+	8.8	6.9	32	41	1,440	1600	3840
CALIBER	M	2.4	4	X	VE	9.6	7.8	29	36	1,584	1760	4224
CALIBER AWD	M	2.4	4	X	VE	10.0	8.3	28	34	1,656	1840	4416
CALIBER SRT4 #	M	2.4	4	X	M6+	10.9	7.4	26	38	1,674	1860	4464
CHARGER	L	2.7	6	X	E4+	11.3	7.7	25	37	1,746	1940	4656
CHARGER	L	3.5	6	X	E4+	12.2	8.1	23	35	1,854	2060	4944
CHARGER	L	3.5	6	X	S5+	12.5	8.1	23	35	1,890	2100	5040

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

F430 COUPE & F430 SPIDER	T	4.3	8	Z	M6+	18.9	12.5	15	23	3,200	3200	7680
F430 COUPE & F430 SPIDER	T	4.3	8	Z	S6+	19.0	12.4	15	23	3,200	3200	7680
FORD												
CROWN VICTORIA FFV	L	4.6	8	X	E4E	14.1	8.8	20	32	2,106	2340	5616
	L	4.6	8	E	E4E	18.4	12.5	15	23		3140	3140
FOCUS	C	2.0	4	X	M5+	8.5	5.7	33	50	1,296	1440	3456
FOCUS	C	2.0	4	X	E4E	8.4	5.9	34	48	1,314	1460	3504
FUSION	M	2.3	4	X	M5+	10.1	6.9	28	41	1,566	1740	4176
FUSION	M	2.3	4	X	E5E	10.2	7.0	28	40	1,566	1740	4176
FUSION	M	3.0	6	X	E6E	11.7	7.7	24	37	1,782	1980	4752
FUSION AWD	M	3.0	6	X	E6E	12.4	8.1	23	35	1,890	2100	5040
GRAND MARQUIS FFV	L	4.6	8	X	E4E	14.1	8.8	20	32	2,106	2340	5616
	L	4.6	8	E	E4E	18.4	12.5	15	23		3140	3140
MUSTANG	C	4.0	6	X	M5+	12.2	7.7	23	37	1,836	2040	4896
MUSTANG	C	4.0	6	X	E5E	12.9	8.4	22	34	1,962	2180	5232
MUSTANG	C	4.6	8	X	M5+	13.8	8.7	20	32	2,070	2300	5520
MUSTANG	C	4.6	8	X	E5E	13.6	9.2	21	31	2,088	2320	5568
MUSTANG	C	5.4	8	Z	M6+	15.5	10.1	18	28	2,620	2620	6288

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N°OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSUMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN				
						L/100 km	City / VILLE	Highway / ROUTE	PER YEAR / PAR AN				Litres			
									mi./gal.	City / VILLE	Highway / ROUTE					
														FUEL (L) / YEAR CARBURANT (L) / AN	PER YEAR / PAR AN	FUEL (L) / YEAR CARBURANT (L) / AN
TAURUS	M	3.5	6	X	E6E	11.6	7.0	24	40	1,710	1900	4560				
TAURUS AWD	M	3.5	6	X	E6E	12.7	8.3	22	34	1,926	2140	5136				

HONDA

ACCORD 2DR COUPE	C	2.4	4	X	M5+	9.4	6.4	30	44	1,440	1600	3840
ACCORD 2DR COUPE	C	2.4	4	X	E5E	9.9	6.5	29	43	1,512	1680	4032
ACCORD 2DR COUPE	C	3.5	6	X	M6+	12.6	7.8	22	36	1,890	2100	5040
ACCORD 2DR COUPE	C	3.5	6	X	E5E	11.0	6.9	26	41	1,656	1840	4416
ACCORD 4DR SEDAN	L	2.4	4	X	M5+	9.4	6.4	30	44	1,440	1600	3840
ACCORD 4DR SEDAN	L	2.4	4	X	E5E	9.9	6.5	29	43	1,512	1680	4032
ACCORD 4DR SEDAN	L	3.5	6	X	E5E	11.0	6.7	26	42	1,638	1820	4368
CIVIC	S	1.8	4	X	M5+	7.4	5.4	38	52	1,170	1300	3120
CIVIC	S	1.8	4	X	E5E	8.2	5.7	34	50	1,278	1420	3408



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N°OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSUMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
										PER YEAR / PAR AN			FUEL (L) / YEAR CARBURANT (L) / AN	
						City / VILLE		Highway / ROUTE		mi./gal.			Litres	
						City / VILLE		Highway / ROUTE						
						City / VILLE		Highway / ROUTE						
TIBURON	S	2.7	6	X	M6+	12.7	8.2	22	34	1,926	2140	5136		
TIBURON	S	2.7	6	X	A4E	12.3	8.3	23	34	1,890	2100	5040		

INFINITI

Q35	M	3.5	6	Z	M6+	12.1	8.0	23	35	2,060	2060	4944
Q35	M	3.5	6	Z	S5E	12.1	8.2	23	34	2,080	2080	4992
Q35X	M	3.5	6	Z	S5E	12.6	8.7	22	32	2,160	2160	5184
Q37 COUPE	S	3.7	6	Z	M6+	12.0	7.8	24	36	2,020	2020	4848
Q37 COUPE	S	3.7	6	Z	S5E	11.9	8.1	24	35	2,040	2040	4896
M35	L	3.5	6	Z	S5E	13.2	8.6	21	33	2,220	2220	5328
M35X	L	3.5	6	Z	S5E	13.5	9.1	21	31	2,300	2300	5520
M45	L	4.5	8	Z	S5E	13.5	9.4	21	30	2,320	2320	5568
M45X	L	4.5	8	Z	S5E	15.1	10.2	19	28	2,580	2580	6192

CIVIC	S	2.0	4	Z	M6+	10.2	6.8	28	42	1,740	1740	4176
CIVIC HYBRID	C	1.3	4	X	V	4.7	4.3	60	66	810	900	2160
FIT	W	1.5	4	X	M5+	7.1	5.7	40	50	1,170	1300	3120
FIT	W	1.5	4	X	E5E	7.8	5.6	36	50	1,224	1360	3264
FIT	W	1.5	4	X	S5E	8.0	5.8	35	49	1,260	1400	3360
S2000	T	2.2	4	Z	M6+	11.8	8.4	24	34	2,040	2040	4896
HYUNDAI												
ACCENT	C	1.6	4	X	M5+	7.4	6.2	38	46	1,242	1380	3312
ACCENT	C	1.6	4	X	A4E	8.5	5.9	33	48	1,314	1460	3504
AZERA	L	3.8	6	X	A5E	12.2	7.8	23	36	1,836	2040	4896
ELANTRA	M	2.0	4	X	M4+	8.4	6.0	34	47	1,314	1460	3504
ELANTRA	M	2.0	4	X	A4E	8.2	6.0	34	47	1,296	1440	3456
SONATA	L	2.4	4	X	M5+	9.6	6.3	29	45	1,458	1620	3888
SONATA	L	2.4	4	X	A4E	9.9	6.5	29	43	1,512	1680	4032
SONATA	L	3.3	6	X	A5E	11.1	7.1	25	40	1,674	1860	4464
TIBURON	S	2.0	4	X	M5+	10.2	7.1	28	40	1,584	1760	4224
TIBURON	S	2.0	4	X	A4E	10.6	7.2	27	39	1,638	1820	4368
TIBURON	S	2.7	6	X	M5+	12.2	8.1	23	35	1,872	2080	4992

FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER. ▲
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

A9

JAGUAR												
S-TYPE 3.0	M	3.0	6	Z	E6+	124	7.8	23	36	2,060	2060	4944
S-TYPE 4.2	M	4.2	8	Z	E6+	130	8.3	22	34	2,180	2180	5232
S-TYPE #	M	4.2	8	Z	E6+	139	9.2	20	31	2,360	2360	5664
SUPER V8 #	L	4.2	8	Z	E6+	139	9.1	20	31	2,360	2360	5664
VANDEN PLAS	L	4.2	8	Z	E6+	130	8.1	22	35	2,160	2160	5184
XJ 8L	L	4.2	8	Z	E6+	128	8.0	22	35	2,140	2140	5136
XJ8	C	4.2	8	Z	E6+	128	8.0	22	35	2,140	2140	5136
XJ6 #	C	4.2	8	Z	E6+	139	9.1	20	31	2,360	2360	5664
XK	S	4.2	8	Z	E6+	131	8.0	22	35	2,160	2160	5184
XK CONVERTIBLE	S	4.2	8	Z	E6+	131	8.0	22	35	2,160	2160	5184
XKR #	S	4.2	8	Z	E6+	137	8.8	21	32	2,300	2300	5520
XKR CONVERTIBLE #	S	4.2	8	Z	E6+	137	8.8	21	32	2,300	2300	5520
X-TYPE	S	3.0	6	Z	A5+	132	9.0	21	31	2,260	2260	5424
X-TYPE SPORT BRAKE	W	3.0	6	Z	A5+	133	8.9	21	32	2,280	2280	5472
KIA												
AMANTI	L	3.8	6	X	A5E	126	8.2	22	34	1,908	2120	5088
MAGENTIS	M	2.4	4	X	M5+	96	6.3	29	45	1,458	1620	3888

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

A10



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N°OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSOMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN	
						City / VILLE		Highway / ROUTE		PER YEAR / PAR AN			
						L/100 km	mi./gal.	City / VILLE	Highway / ROUTE	FUEL (L) / YEAR CARBURANT (L) / AN			
MAGENTIS	M	2.4	4	X	A5E	9.7	6.4	29	44	1,476	1640	3936	
MAGENTIS	M	2.7	6	X	A5E	10.6	7.0	27	40	1,620	1800	4320	
RIO	C	1.6	4	X	M5+	7.4	6.2	38	46	1,242	1380	3312	
RIO	C	1.6	4	X	A4E	8.1	5.7	35	50	1,260	1400	3360	
RONDO	W	2.4	4	X	A4E	11.0	7.5	26	38	1,692	1880	4512	
RONDO	W	2.7	6	X	A5E	11.6	7.7	24	37	1,764	1960	4704	
SPECTRA	M	2.0	4	X	M5+	8.9	6.5	32	43	1,404	1560	3744	
SPECTRA	M	2.0	4	X	A4E	8.6	6.2	33	46	1,350	1500	3600	
LAMBORGHINI													
GALLARDO	T	5.0	10	Z	M6+	20.4	12.1	14	23	3,340	3340	8016	
GALLARDO	T	5.0	10	Z	S6+	19.6	11.7	14	24	3,220	3220	7728	
GALLARDO SPYDER	T	5.0	10	Z	M6+	21.8	13.0	13	22	3,560	3560	8544	



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N°OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES  OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSOMMATION						CO ₂ EMISSIONS (kg) / YEAR	ÉMISSIONS DE CO ₂ (kg) / AN				
						City / VILLE		Highway / ROUTE		City / VILLE	mi./gal.				PER YEAR / PAR AN	FUEL (L) / YEAR	CARBURANT (L) / AN
						City / VILLE		Highway / ROUTE									
						City / VILLE		Highway / ROUTE									
LS 600HL AWD	L	5.0	8	Z	V	10.6	9.1	27	31	1,980	1980	4752					
SC 430	S	4.3	8	Z	S6E	12.9	8.8	22	32	2,200	2200	5280					
LINCOLN																	
MKZ	M	3.5	6	X	E6E	11.6	7.0	24	40	1,710	1900	4560					
MKZ AWD	M	3.5	6	X	E6E	12.7	8.3	22	34	1,926	2140	5136					
TOWN CAR	L	4.6	8	X	E4E	13.8	9.0	20	31	2,106	2340	5616					
TOWN CAR FFV	L	4.6	8	X	E4E	14.1	8.8	20	32	2,106	2340	5616					
	L	4.6	8	E	E4E	18.4	12.5	15	23		3140	3140					
MASERATI																	
GRANTURI SMO	S	4.2	8	Z	S6	16.7	10.3	17	27	2,860	2860	6864					
QUATTROPORTE	L	4.2	8	Z	S6	18.1	11.5	16	25	3,100	3100	7440					

GALLARDO SPYDER	T	5.0	10	Z	S6+	20.8	12.6	14	22	3,420	3420	8208
MURCIELARGO	T	6.5	12	Z	M6+	25.9	15.8	11	18	4,260	4260	10224
MURCIELARGO	T	6.5	12	Z	S6+	24.0	13.9	12	20	3,880	3880	9312
MURCIELARGO ROADSTER	T	6.5	12	Z	M6+	25.9	15.8	11	18	4,260	4260	10224
MURCIELARGO ROADSTER	T	6.5	12	Z	S6+	24.0	13.9	12	20	3,880	3880	9312
LEXUS												
ES 350	M	3.5	6	Z	S6E	10.9	7.2	26	39	1,860	1860	4464
GS 350	M	3.5	6	Z	S6E	10.9	7.4	26	38	1,860	1860	4464
GS 350 AWD	M	3.5	6	Z	S6E	11.6	8.0	24	35	2,000	2000	4800
GS 450H	C	3.5	6	Z	V	8.7	7.8	32	36	1,660	1660	3984
GS 460	M	4.6	8	Z	S8E	12.4	8.1	23	35	2,100	2100	5040
LS 250	S	2.5	6	Z	M6+	11.6	7.6	24	37	1,960	1960	4704
LS 250	S	2.5	6	Z	S6E	9.8	6.7	29	42	1,680	1680	4032
LS 250 AWD	S	2.5	6	Z	S6E	10.5	7.6	27	37	1,840	1840	4416
LS 350 AWD	S	3.5	6	Z	S6E	10.9	7.8	26	36	1,900	1900	4560
LS F	S	5.0	8	Z	S8E	13.1	8.5	22	33	2,200	2200	5280
LS 460	L	4.6	8	Z	S8E	12.9	8.2	22	34	2,160	2160	5184
LS 460 L	L	4.6	8	Z	S8E	12.9	8.2	22	34	2,160	2160	5184

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

MAZDA													
3		C	2.0	4	X	M5+	8.4	6.1	34	46	1,332	1480	3552
3		C	2.0	4	X	S4+	9.1	6.4	31	44	1,422	1580	3792
3		C	2.3	4	X	M5+	9.2	6.7	31	42	1,458	1620	3888
3		C	2.3	4	X	S5+	9.4	6.9	30	41	1,494	1660	3984
6		M	2.3	4	X	M5+	10.1	6.9	28	41	1,566	1740	4176
6		M	2.3	4	X	S5+	9.9	7.0	29	40	1,548	1720	4128
6		M	3.0	6	X	M5+	12.2	8.1	23	35	1,854	2060	4944
6		M	3.0	6	X	S6+	11.9	7.9	24	36	1,818	2020	4848
MAZDASPEED 3 (TURBO)													
MX-5		T	2.0	4	Z	M5+	9.5	7.3	30	39	1,700	1700	4080
MX-5		T	2.0	4	Z	M6+	9.8	7.4	29	38	1,740	1740	4176
MX-5		T	2.0	4	Z	S6+	10.5	7.2	27	39	1,800	1800	4320
RX-8		S	1.3	R2	Z	M6+	12.8	9.2	22	31	2,240	2240	5376
RX-8		S	1.3	R2	Z	S6+	12.9	8.6	22	33	2,200	2200	5280
MERCEDES-BENZ													
B200		W	2.0	4	Z	M5+	9.2	6.7	31	42	1,620	1620	3888
B200		W	2.0	4	Z	V	9.2	7.2	31	39	1,660	1660	3984

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES OVERDRIVE / SURMULTIPLICATION 	CONSUMPTION / CONSUMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN
						L/100 km	City / VILLE	Highway / ROUTE	mi./gal.	PER YEAR / PAR AN	FUEL (L) / YEAR CARBURANT (L) / AN Litres	
B200 TURBO	W	2.0	4	Z	M6+	10.3	6.9	27	41	1,760	1760	4224
B200 TURBO	W	2.0	4	Z	V	9.5	7.4	30	38	1,720	1720	4128
C230	C	2.5	6	Z	M6+	11.8	7.4	24	38	1,960	1960	4704
C230	C	2.5	6	Z	E7E	11.5	7.5	25	38	1,940	1940	4656
C230 4MATIC	C	2.5	6	Z	E7E	11.9	7.9	24	36	2,020	2020	4848
C300	C	3.0	6	Z	M6+	11.7	7.7	24	37	1,980	1980	4752
C300 FFV	C	3.0	6	Z	E7E	11.7	7.8	24	36	1,980	1980	4752
C300 4MATIC	C	3.0	6	E	E7E	15.9	10.5	18	27		2700	2700
C350	C	3.5	6	Z	E7E	12.0	8.0	24	35	2,040	2040	4896
C350 4MATIC	C	3.5	6	Z	E7E	12.2	7.9	23	36	2,060	2060	4944
C63 AMG	C	6.2	8	Z	S7E	12.5	8.2	23	34	2,120	2120	5088
						DATA NOT YET AVAILABLE - DONNÉES NON DISPONIBLE						



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSUMMATION					CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN			
						L/100 km	City / VILLE	Highway / ROUTE	mi./gal.	PER YEAR / PAR AN				
												City / VILLE	Highway / ROUTE	
														FUEL (L) / YEAR CARBURANT (L) / AN
MAYBACH 57S (TURBO)	L	6.0	12	Z	E5E	21.2	12.9	13	22	3,500	3500	8400		
MAYBACH 62 (TURBO)	L	5.5	12	Z	E5E	21.1	12.9	13	22	3,480	3480	8352		
MAYBACH 62S (TURBO)	L	6.0	12	Z	E5E	21.2	12.9	13	22	3,500	3500	8400		
S450 4MATIC	L	4.7	8	Z	E7E	14.4	9.3	20	30	2,420	2420	5808		
S550	L	5.5	8	Z	E7E	15.2	9.4	19	30	2,520	2520	6048		
S550 4MATIC	L	5.5	8	Z	E7E	15.4	9.7	18	29	2,560	2560	6144		
S600 (TURBO)	L	5.5	12	Z	E5E	18.9	11.5	15	25	3,120	3120	7488		
S63 AMG	L	6.2	8	Z	S7E	18.9	11.5	15	25	3,120	3120	7488		
S65 AMG (TURBO)	L	6.0	12	Z	S5E	19.4	12.0	15	24	3,200	3200	7680		
SL55 AMG #	T	5.4	8	Z	S5E	17.4	11.5	16	25	2,960	2960	7104		
SL550	T	5.5	8	Z	E7E	15.6	9.5	18	30	2,580	2580	6192		
SL600 (TURBO)	T	5.5	12	Z	E5E	18.5	11.4	15	25	3,060	3060	7344		

CL550	C	5.5	8	Z	E7E	15.1	9.4	19	30	2,500	2500	6000
CL600 (TURBO)	C	5.5	12	Z	E5E	19.2	12.0	15	24	3,200	3200	7680
CL63 AMG	C	6.2	8	Z	S7E	18.7	11.2	15	25	3,060	3060	7344
CL65 AMG (TURBO)	C	6.0	12	Z	S5E	19.1	11.8	15	24	3,160	3160	7584
CLK350 (CONVERTIBLE)	S	3.5	6	Z	E7E	12.3	7.8	23	36	2,060	2060	4944
CLK350 (COUPE)	S	3.5	6	Z	E7E	12.3	7.8	23	36	2,060	2060	4944
CLK550 (CONVERTIBLE)	S	5.5	8	Z	E7E	14.5	9.4	19	30	2,440	2440	5856
CLK550 (COUPE)	S	5.5	8	Z	E7E	14.4	9.1	20	31	2,400	2400	5760
CLK63 AMG (CONVERTIBLE)	S	6.2	8	Z	S7E	18.4	11.0	15	26	3,000	3000	7200
CLS550	C	5.5	8	Z	E7E	15.1	9.5	19	30	2,520	2520	6048
CLS63 AMG	C	6.2	8	Z	S7E	17.7	11.2	16	25	2,960	2960	7104
E300 4MATIC	M	3.0	6	Z	E7E	12.4	8.8	23	32	2,160	2160	5184
E320 BLUETEC (TURBO)	M	3.0	6	D	E7E	9.0	6.1	31	46	1,386	1540	4158
E350 4MATIC	M	3.5	6	Z	E5E	12.9	9.0	22	31	2,240	2240	5376
E350 4MATIC (WAGON)	W	3.5	6	Z	E5E	13.3	9.4	21	30	2,320	2320	5568
E550 4MATIC	M	5.5	8	Z	E5E	15.8	10.4	18	27	2,680	2680	6432
E63 AMG (SEDAN)	M	6.2	8	Z	S7E	17.2	10.8	16	26	2,860	2860	6864
MAYBACH 57 (TURBO)	L	5.5	12	Z	E5E	21.1	12.9	13	22	3,480	3480	8352

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

A13

SL65 AMG (TURBO)	T	6.0	12	Z	S5E	18.5	11.2	15	25	3,040	3040	7296
SLK280	T	3.0	6	Z	M6+	12.0	8.0	24	35	2,040	2040	4896
SLK280	T	3.0	6	Z	E7E	11.9	8.1	24	35	2,040	2040	4896
SLK350	T	3.5	6	Z	M6+	12.7	8.6	22	33	2,180	2180	5232
SLK350	T	3.5	6	Z	E7E	12.3	8.7	23	32	2,140	2140	5136
SLK55 AMG	T	5.4	8	Z	S7E	15.0	9.8	19	29	2,540	2540	6096
SLR McLAREN #	T	5.4	8	Z	S5E	17.4	12.6	16	22	3,040	3040	7296
MINI												
COOPER	S	1.6	4	Z	M6+	7.1	5.3	40	53	1,260	1260	3024
COOPER	S	1.6	4	Z	E6+	7.9	5.7	36	50	1,380	1380	3312
COOPER CLUBMAN	S	1.6	4	Z	M6+	7.1	5.3	40	53	1,260	1260	3024
COOPER CLUBMAN	S	1.6	4	Z	E6+	7.9	5.7	36	50	1,380	1380	3312
COOPER CONVERTIBLE	S	1.6	4	Z	M5+	9.0	6.2	31	46	1,540	1540	3696
COOPER CONVERTIBLE	S	1.6	4	Z	V+	9.2	6.6	31	43	1,620	1620	3888
COOPER S	S	1.6	4	Z	M6+	7.7	5.7	37	50	1,360	1360	3264
COOPER S	S	1.6	4	Z	E6+	8.7	6.2	32	46	1,520	1520	3648
COOPER S CLUBMAN	S	1.6	4	Z	M6+	7.7	5.7	37	50	1,360	1360	3264
COOPER S CLUBMAN	S	1.6	4	Z	E6+	8.7	6.2	32	46	1,520	1520	3648

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

A14



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSOMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN	
						L/100 km		mi./gal.	PER YEAR / PAR AN				
						City / VILLE	Highway / ROUTE	City / VILLE	Highway / ROUTE				
										Litres			
MITSUBISHI	COOPER S CONVERTIBLE	S	1.6	4	Z	M6+	9.6	6.7	29	42	1,660	1660	3984
	COOPER S CONVERTIBLE	S	1.6	4	Z	E6+	10.7	7.0	26	40	1,800	1800	4320
	ECLIPSE	S	2.4	4	X	M5+	10.5	7.3	27	39	1,620	1800	4320
	ECLIPSE	S	2.4	4	X	S4E	10.6	7.6	27	37	1,656	1840	4416
	ECLIPSE	S	3.8	6	Z	M6+	13.1	7.9	22	36	2,160	2160	5184
	ECLIPSE	S	3.8	6	Z	S5E	12.6	8.0	22	35	2,100	2100	5040
	ECLIPSE SPYDER	S	2.4	4	X	M5+	10.5	7.3	27	39	1,620	1800	4320
	ECLIPSE SPYDER	S	2.4	4	X	S4E	10.8	7.6	26	37	1,692	1880	4512
ECLIPSE SPYDER	S	3.8	6	Z	M6+	13.1	7.9	22	36	2,160	2160	5184	
ECLIPSE SPYDER	S	3.8	6	Z	S5E	12.6	8.0	22	35	2,100	2100	5040	
LANCER	C	2.0	4	X	M5+	9.7	7.0	29	40	1,476	1640	3936	



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES  OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSOMMATION						 FUEL (L) / YEAR CARBURANT (L) / AN	CO ₂ EMISSIONS (kg) / YEAR
						City / VILLE	Highway / ROUTE	City / VILLE	Highway / ROUTE	PER YEAR / PAR AN			
										mi./gal.	Litres		
SENTRA	M	2.0	4	X	VE	8.2	6.0	34	47	1,296	1440	3456	
SENTRA	M	2.5	4	Z	M6+	9.8	6.9	29	41	1,700	1700	4080	
SENTRA	M	2.5	4	X	VE	8.6	6.5	33	43	1,386	1540	3696	
VERSA	M	1.8	4	X	M6+	7.9	6.3	36	45	1,296	1440	3456	
VERSA	M	1.8	4	X	E4E	8.5	6.2	33	46	1,332	1480	3552	
VERSA	M	1.8	4	X	VE	7.5	6.0	38	47	1,224	1360	3264	
PONTIAC													
G5	S	2.2	4	X	M5+	9.2	5.9	31	48	1,386	1540	3696	
G5	S	2.2	4	X	E4E	9.2	6.4	31	44	1,440	1600	3840	
G5	S	2.4	4	Z	M5+	9.3	6.2	30	46	1,580	1580	3792	
G5	S	2.4	4	Z	E4E	9.4	6.4	30	44	1,600	1600	3840	
G6	C	2.4	4	X	E4E	9.6	6.5	29	43	1,476	1640	3936	

LANCER	C	2.0	4	X	V +	9.6	6.9	29	41	1,512	1680	4032
LANCER	C	2.0	4	X	V +	9.5	7.0	30	40	1,512	1680	4032
NISSAN												
350Z	T	3.5	6	Z	M6+	12.0	8.2	24	34	2,060	2060	4944
350Z	T	3.5	6	Z	S5E	12.2	8.4	23	34	2,100	2100	5040
350Z ROADSTER	T	3.5	6	Z	M6+	12.1	8.2	23	34	2,060	2060	4944
350Z ROADSTER	T	3.5	6	Z	S5E	12.4	8.5	23	33	2,140	2140	5136
ALTIMA	M	2.5	4	X	M6+	8.9	6.1	32	46	1,368	1520	3648
ALTIMA	M	2.5	4	X	VE	8.9	6.3	32	45	1,386	1540	3696
ALTIMA HYBRID	M	2.5	4	X	VE	5.6	5.9	50	48	1,044	1160	2784
ALTIMA	M	3.5	6	Z	M6+	11.2	7.3	25	39	1,900	1900	4560
ALTIMA	M	3.5	6	Z	VE	10.5	7.7	27	37	1,840	1840	4416
ALTIMA COUPE	S	2.5	4	X	M6+	8.9	6.1	32	46	1,368	1520	3648
ALTIMA COUPE	S	2.5	4	X	VE	8.9	6.3	32	45	1,386	1540	3696
ALTIMA COUPE	S	3.5	6	Z	M6+	11.2	7.3	25	39	1,900	1900	4560
ALTIMA COUPE	S	3.5	6	Z	VE	10.5	7.7	27	37	1,840	1840	4416
MAXIMA	M	3.5	6	Z	VE	11.1	7.9	25	36	1,940	1940	4656
SENTRA	M	2.0	4	X	M6+	8.3	6.4	34	44	1,350	1500	3600

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

A15

G6		C	3.5	6	X	E4E	11.5	7.2	25	39	1,728	1920	4608
G6		C	3.5	6	X	S4E	12.3	7.6	23	37	1,836	2040	4896
G6		C	3.6	6	X	S6E	12.2	7.8	23	36	1,836	2040	4896
G6 CONVERTIBLE		C	3.5	6	X	S4E	12.3	7.6	23	37	1,836	2040	4896
G6 CONVERTIBLE		C	3.9	6	X	S4E	13.8	8.9	20	32	2,088	2320	5568
GRAND PRIX		M	3.8	6	X	E4E	11.8	7.1	24	40	1,746	1940	4656
GRAND PRIX		M	5.3	8	Z	S4E	12.9	7.8	22	36	2,120	2120	5088
SOLSTICE		T	2.4	4	Z	M5+	11.1	8.0	25	35	1,940	1940	4656
SOLSTICE		T	2.4	4	Z	E5E	10.8	8.3	26	34	1,940	1940	4656
SOLSTICE (TURBO)		T	2.0	4	Z	M5+	10.8	7.0	26	40	1,820	1820	4368
SOLSTICE (TURBO)		T	2.0	4	Z	E5E	11.2	7.5	25	38	1,920	1920	4608
VIBE		W	1.8	4	X	M5+	7.9	5.9	36	48	1,260	1400	3360
VIBE		W	1.8	4	X	E4E	8.2	6.3	34	45	1,314	1460	3504
WAVE		C	1.6	4	X	M5+	8.7	5.8	32	49	1,332	1480	3552
WAVE		C	1.6	4	X	E4E	9.0	6.2	31	46	1,404	1560	3744
WAVE 5		S	1.6	4	X	M5+	8.7	5.8	32	49	1,332	1480	3552
WAVE 5		S	1.6	4	X	E4E	9.0	6.2	31	46	1,404	1560	3744

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

A16



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE		ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 		CONSUMPTION / CONSUMMATION				CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN
						</						

PORSCH											
911 GT3	S	3.6	6	Z	M6+	14.0	8.9	20	32	2,340	2340
911 GT3 RS	S	3.6	6	Z	M6+	13.6	8.8	21	32	2,300	2300
911 TURBO	S	3.6	6	Z	M6+	13.3	8.5	21	33	2,220	2220
911 TURBO	S	3.6	6	Z	S6+	13.8	8.5	20	33	2,280	2280
911 TURBO CABRIOLET	S	3.6	6	Z	M6+	13.6	8.4	21	34	2,260	2260
911 TURBO CABRIOLET	S	3.6	6	Z	S6+	14.0	8.9	20	32	2,340	2340
BOXSTER	T	2.7	6	Z	M5+	10.1	6.8	28	42	1,740	1740
BOXSTER	T	2.7	6	Z	M6+	10.9	7.0	26	40	1,820	1820
BOXSTER	T	2.7	6	Z	S6+	11.0	7.6	26	37	1,900	1900
BOXSTER S	T	3.4	6	Z	M6+	11.8	7.7	24	37	1,980	1980



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSUMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN	
						L/100 km		mi./gal.		PER YEAR / PAR AN 			FUEL (L) / YEAR CARBURANT (L) / AN 
						City / VILLE	Highway / ROUTE	City / VILLE	Highway / ROUTE				

CARRERA 4S COUPE	S	3.8	6	Z	S6+	12.3	8.6	23	33	2,120	2120
CARRERA 4S TARGA	S	3.8	6	Z	M6+	12.9	8.4	22	34	2,160	2160
CARRERA 4S TARGA	S	3.8	6	Z	S6+	12.3	8.6	23	33	2,120	2120
CAYMAN	T	2.7	6	Z	M5+	10.1	6.8	28	42	1,740	1740
CAYMAN	T	2.7	6	Z	M6+	10.9	7.0	26	40	1,820	1820
CAYMAN	T	2.7	6	Z	S6+	11.0	7.6	26	37	1,900	1900
CAYMAN S	T	3.4	6	Z	M6+	11.8	7.7	24	37	1,980	1980
CAYMAN S	T	3.4	6	Z	S6+	11.6	7.9	24	36	1,980	1980
ROLLS-ROYCE											
PHANTOM	M	6.7	12	Z	E6+	18.1	11.4	16	25	3,020	3020
PHANTOM DROPTHEAD COUPE	M	6.7	12	Z	E6+	18.1	11.4	16	25	3,020	3020

BOXSTER S	T	3.4	6	Z	S6+	11.6	7.9	24	36	1,980	1980	4752
CARRERA 2 CABRIOLET	S	3.6	6	Z	M6+	11.8	7.8	24	36	2,000	2000	4800
CARRERA 2 CABRIOLET	S	3.6	6	Z	S6+	11.9	8.2	24	34	2,040	2040	4896
CARRERA 2 COUPE	S	3.6	6	Z	M6+	11.8	7.8	24	36	2,000	2000	4800
CARRERA 2 COUPE	S	3.6	6	Z	S6+	11.9	8.2	24	34	2,040	2040	4896
CARRERA 2S CABRIOLET	S	3.8	6	Z	M6+	12.5	8.1	23	35	2,100	2100	5040
CARRERA 2S CABRIOLET	S	3.8	6	Z	S6+	11.9	8.3	24	34	2,060	2060	4944
CARRERA 2S COUPE	S	3.8	6	Z	M6+	12.5	8.1	23	35	2,100	2100	5040
CARRERA 2S COUPE	S	3.8	6	Z	S6+	11.9	8.3	24	34	2,060	2060	4944
CARRERA 4 CABRIOLET	S	3.6	6	Z	M6+	12.3	8.1	23	35	2,080	2080	4992
CARRERA 4 CABRIOLET	S	3.6	6	Z	S6+	12.4	8.4	23	34	2,120	2120	5088
CARRERA 4 COUPE	S	3.6	6	Z	M6+	12.3	8.1	23	35	2,080	2080	4992
CARRERA 4 COUPE	S	3.6	6	Z	S6+	12.4	8.4	23	34	2,120	2120	5088
CARRERA 4 TARGA	S	3.6	6	Z	M6+	12.4	8.1	23	35	2,080	2080	4992
CARRERA 4 TARGA	S	3.6	6	Z	S6+	12.4	8.4	23	34	2,120	2120	5088
CARRERA 4S CABRIOLET	S	3.8	6	Z	M6+	12.9	8.4	22	34	2,160	2160	5184
CARRERA 4S CABRIOLET	S	3.8	6	Z	S6+	12.3	8.6	23	33	2,120	2120	5088
CARRERA 4S COUPE	S	3.8	6	Z	M6+	12.9	8.4	22	34	2,160	2160	5184

FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER. ▲
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

A17

PHANTOM EWB	M	6.7	12	Z	E6+	18.1	11.4	16	25	3,020	3020	7248
SAAB												
9-3 CONVERTIBLE (TURBO)	S	2.0	4	Z	M6+	11.3	7.2	25	39	1,900	1900	4560
9-3 CONVERTIBLE (TURBO)	S	2.0	4	Z	S5E	11.8	7.9	24	36	2,020	2020	4848
9-3 CONVERTIBLE (TURBO)	S	2.8	6	Z	M6+	13.3	7.7	21	37	2,160	2160	5184
9-3 CONVERTIBLE (TURBO)	S	2.8	6	Z	S6E	14.5	8.3	19	34	2,340	2340	5616
9-3 SPORT SEDAN (TURBO)	C	2.0	4	Z	M6+	10.7	6.9	26	41	1,800	1800	4320
9-3 SPORT SEDAN (TURBO)	C	2.0	4	Z	S5E	11.1	7.7	25	37	1,920	1920	4608
9-3 SPORT SEDAN (TURBO)	C	2.8	6	Z	M6+	13.3	7.7	21	37	2,160	2160	5184
9-3 SPORT SEDAN (TURBO)	C	2.8	6	Z	S6E	14.5	8.3	19	34	2,340	2340	5616
9-3 SPORTCOMBI (TURBO)	W	2.0	4	Z	M6+	10.7	6.9	26	41	1,800	1800	4320
9-3 SPORTCOMBI (TURBO)	W	2.0	4	Z	S5E	11.8	7.9	24	36	2,020	2020	4848
9-3 SPORTCOMBI (TURBO)	W	2.8	6	Z	M6+	13.3	7.7	21	37	2,160	2160	5184
9-3 SPORTCOMBI (TURBO)	W	2.8	6	Z	S6E	14.5	8.3	19	34	2,340	2340	5616
9-5 SEDAN (TURBO)	M	2.3	4	Z	M5+	11.6	7.2	24	39	1,920	1920	4608
9-5 SEDAN (TURBO)	M	2.3	4	Z	S5E	12.4	7.5	23	38	2,040	2040	4896
9-5 SPORTCOMBI (TURBO)	W	2.3	4	Z	M5+	11.6	7.2	24	39	1,920	1920	4608
9-5 SPORTCOMBI (TURBO)	W	2.3	4	Z	S5E	12.4	7.5	23	38	2,040	2040	4896

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

A18



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSUMMATION					CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
						L/100 km	City / VILLE		Highway / ROUTE			PER YEAR / PAR AN	
							mi./gal.	City / VILLE		Highway / ROUTE			
								City / VILLE		Highway / ROUTE			
								FUEL (L) / YEAR CARBURANT (L) / AN		Litres			



A

AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSUMMATION					CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
						L/100 km	City / VILLE		Highway / ROUTE			FUEL (L) / YEAR CARBURANT (L) / AN	
							mi./gal.	City / VILLE		Highway / ROUTE			
								City / VILLE		Highway / ROUTE			
								City / VILLE		Highway / ROUTE			PER YEAR / PAR AN
City / VILLE		Highway / ROUTE		PER YEAR / PAR AN									

SATURN

ASTRA	C	1.8	4	X	E4E	8.4	6.6	34	43	1,368	1520	3648
ASTRA	C	1.8	4	X	M5+	8.5	6.1	33	46	1,332	1480	3552
AURA	C	2.4	4	X	E4E	9.6	6.5	29	43	1,476	1640	3936
AURA HYBRID	C	2.4	4	X	E4E	8.5	6.2	33	46	1,350	1500	3600
AURA	C	3.5	6	X	E4E	11.5	7.2	25	39	1,728	1920	4608
AURA	C	3.6	6	X	S6E	12.2	7.8	23	36	1,836	2040	4896
SKY	T	2.4	4	Z	M5+	11.1	8.0	25	35	1,940	1940	4656
SKY	T	2.4	4	Z	E5E	10.8	8.3	26	34	1,940	1940	4656
SKY (TURBO)	T	2.0	4	Z	M5+	10.8	7.0	26	40	1,820	1820	4368
SKY (TURBO)	T	2.0	4	Z	E5E	11.2	7.5	25	38	1,920	1920	4608

SUZUKI

SWIFT+	C	1.6	4	X	M5+	8.7	5.8	32	49	1,350	1500	3600
SWIFT+	C	1.6	4	X	A4+	9.0	6.2	31	46	1,404	1560	3744
SV4	W	2.0	4	X	M5+	9.2	6.5	31	43	1,440	1600	3840
SV4	W	2.0	4	X	E4E	9.0	6.5	31	43	1,404	1560	3744
SV4 JX	W	2.0	4	X	M5+	9.5	6.8	30	42	1,494	1660	3984
SV4 JX	W	2.0	4	X	E4E	9.2	6.7	31	42	1,458	1620	3888
SV4 JX/JLX AWD	W	2.0	4	X	M5+	9.9	7.1	29	40	1,566	1740	4176
SV4 JX/JLX AWD	W	2.0	4	X	E4E	9.9	7.1	29	40	1,548	1720	4128
SV4 SEDAN	C	2.0	4	X	M5+	9.2	6.5	31	43	1,440	1600	3840
SV4 SEDAN	C	2.0	4	X	E4E	9.0	6.5	31	43	1,404	1560	3744

SMART										
FORTWO (CONVERTIBLE)	T	1.0	3	Z	S5	5.9	4.8	48	59	2592
FORTWO (COUPE)	T	1.0	3	Z	S5	5.9	4.8	48	59	2592
SUBARU										
IMPREZA 2.5i	C	2.5	4	X	M5+	10.6	7.3	27	39	4368
IMPREZA 2.5i	C	2.5	4	X	S4E	10.4	7.5	27	38	4368
IMPREZA WRX	C	2.5	4	Z	M5+	11.2	8.0	25	35	4656
IMPREZA WRX	C	2.5	4	Z	S4E	10.6	7.9	27	36	4512
IMPREZA WRX STI	C	2.5	4	Z	M6+	12.2	8.7	23	33	5100
LEGACY 2.5GT LTD	C	2.5	4	Z	S5E	11.9	8.3	24	34	4944
LEGACY 2.5GT LTD	C	2.5	4	Z	M5+	11.2	8.0	25	35	4656
LEGACY 2.5GT SPEC B	C	2.5	4	Z	M6+	12.3	8.2	23	34	4992
LEGACY 2.5i/2.5iLTD	C	2.5	4	X	M5+	10.6	7.3	27	39	4368
LEGACY 2.5i/2.5iLTD	C	2.5	4	X	S4E	10.4	7.5	27	38	4368
LEGACY 2.5 GT LTD WAGON	W	2.5	4	Z	M5+	11.2	8.0	25	35	4656
LEGACY 2.5 GT LTD WAGON	W	2.5	4	Z	S5E	11.9	8.3	24	34	4944
LEGACY 2.5i/LEGACY2.5iLTD WAGON	W	2.5	4	X	M5+	10.6	7.3	27	39	4368
LEGACY 2.5i/LEGACY2.5iLTD WAGON	W	2.5	4	X	S4E	10.4	7.5	27	38	4368

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

A19

SX4 SEDAN SPORT	C	2.0	4	X	M5+	9.5	6.8	30	42	1,494	1660	3984
SX4 SEDAN SPORT	C	2.0	4	X	E4E	9.2	6.7	31	42	1,458	1620	3888
TOYOTA												
AVALON	L	3.5	6	X	S6E	10.7	7.0	26	40	1,620	1800	4320
CAMRY	M	2.4	4	X	M5+	9.6	6.4	29	44	1,476	1640	3936
CAMRY	M	2.4	4	X	E5E	9.5	6.2	30	46	1,440	1600	3840
CAMRY HYBRID	M	2.4	4	X	V	5.7	5.7	50	50	1,026	1140	2736
CAMRY	M	3.5	6	X	S6E	10.7	7.0	26	40	1,620	1800	4320
CAMRY SOLARA	C	3.3	6	X	S5E	11.5	7.3	25	39	1,728	1920	4608
CAMRY SOLARA CONVERTIBLE	C	3.3	6	X	S5E	11.6	7.6	24	37	1,764	1960	4704
COROLLA	C	1.8	4	X	M5+	7.1	5.3	40	53	1,134	1260	3024
COROLLA	C	1.8	4	X	E4E	7.8	5.6	36	50	1,224	1360	3264
COROLLA MATRIX	W	1.8	4	X	M5+	8.0	6.0	35	47	1,278	1420	3408
COROLLA MATRIX	W	1.8	4	X	E4E	8.3	6.3	34	45	1,332	1480	3552
PRIUS	M	1.5	4	X	V	4.0	4.2	71	67	738	820	1968
YARIS	S	1.5	4	X	M5+	7.0	5.5	40	51	1,134	1260	3024
YARIS	S	1.5	4	X	E4E	7.0	5.6	40	50	1,152	1280	3072

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

A20

A



AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION		CONSUMPTION / CONSUMMATION				CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
					 No. of GEARS / Nbre de VITESSES	OVERDRIVE / SURMULTIPLICATION	City / VILLE	Highway / ROUTE	L/100 km	mi./gal.		PER YEAR / PAR AN	
												 FUEL (L) / YEAR CARBURANT (L) / AN	Litres

VOLKSWAGEN

CITY GOLF	C	2.0	4	X	M5+	9.8	7.0	29	40	1,548	1720	4128
CITY GOLF	C	2.0	4	X	S6+	9.9	6.9	29	41	1,548	1720	4128
CITY JETTA	C	2.0	4	X	M5+	9.8	7.0	29	40	1,548	1720	4128
CITY JETTA	C	2.0	4	X	S6+	9.9	6.9	29	41	1,548	1720	4128
EOS	S	2.0	4	Z	M6+	10.1	6.8	28	42	1,720	1720	4128
EOS	S	2.0	4	Z	S6+	9.7	6.6	29	43	1,660	1660	3984
GTI	C	2.0	4	Z	M6+	10.1	6.8	28	42	1,720	1720	4128
GTI	C	2.0	4	Z	S6+	9.3	6.9	30	41	1,640	1640	3936
JETTA	C	2.0	4	Z	M6+	10.1	6.8	28	42	1,720	1720	4128
JETTA	C	2.0	4	Z	S6+	9.3	6.9	30	41	1,640	1640	3936

A



AUTOMOBILES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N°OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION		CONSUMPTION / CONSUMMATION				CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN	
					No. of GEARS / Nbre de VITESSES		L/100 km	PER YEAR / PAR AN				Litres
								City / VILLE	Highway / ROUTE	mi./gal.		
							City / VILLE	Highway / ROUTE	FUEL (L) / YEAR CARBURANT (L) / AN			

C30 2.4i	C	2.4	5	Z	S5E	10.5	7.0	27	40	1,780	1780	4272
C30 T5	C	2.5	5	Z	M6+	10.7	7.0	26	40	1,800	1800	4320
C30 T5	C	2.5	5	Z	S5E	11.1	7.3	25	39	1,880	1880	4512
C70 T5	C	2.5	5	Z	M6+	11.3	7.5	25	38	1,920	1920	4608
C70 T5	C	2.5	5	Z	S5E	11.4	7.6	25	37	1,940	1940	4656
S40 2.4i	C	2.4	5	Z	M5+	10.5	7.0	27	40	1,780	1780	4272
S40 2.4i	C	2.4	5	Z	S5E	10.5	7.0	27	40	1,780	1780	4272
S40 T5	C	2.5	5	Z	M6+	10.7	7.0	26	40	1,800	1800	4320
S40 T5	C	2.5	5	Z	S5E	11.1	7.3	25	39	1,880	1880	4512
S40 T5 AWD	C	2.5	5	Z	M6+	12.0	7.8	24	36	2,020	2020	4848
S40 T5 AWD	C	2.5	5	Z	S5E	11.7	7.6	24	37	1,980	1980	4752

JETTA		C	2.5	5	X	M5+	10.8	6.9	26	41	1,620	1800	4320
JETTA		C	2.5	5	X	S6+	10.6	7.0	27	40	1,620	1800	4320
JETTA SPORT WAGON		W	2.5	5	X	M5+	10.8	6.9	26	41	1,620	1800	4320
JETTA SPORT WAGON		W	2.5	5	X	S6+	10.6	7.0	27	40	1,620	1800	4320
NEW BEETLE		S	2.5	5	X	M5+	10.4	7.1	27	40	1,602	1780	4272
NEW BEETLE		S	2.5	5	X	S6+	10.4	6.8	27	42	1,584	1760	4224
NEW BEETLE CONVERTIBLE		S	2.5	5	X	M5+	10.2	7.1	28	40	1,584	1760	4224
NEW BEETLE CONVERTIBLE		S	2.5	5	X	S6+	10.5	7.0	27	40	1,602	1780	4272
PASSAT		M	2.0	4	Z	M6+	10.1	6.8	28	42	1,720	1720	4128
PASSAT		M	2.0	4	Z	S6+	10.8	7.1	26	40	1,820	1820	4368
PASSAT 4MOTION		M	3.6	6	Z	S6+	12.8	8.3	22	34	2,160	2160	5184
PASSAT 4MOTION WAGON		W	3.6	6	Z	S6+	12.8	8.3	22	34	2,160	2160	5184
PASSAT WAGON		W	2.0	4	Z	M6+	10.1	6.8	28	42	1,720	1720	4128
PASSAT WAGON		W	2.0	4	Z	S6+	10.5	7.1	27	40	1,800	1800	4320
RABBIT		C	2.5	5	X	M5+	10.8	6.9	26	41	1,620	1800	4320
RABBIT		C	2.5	5	X	S6+	10.6	7.0	27	40	1,620	1800	4320
VOLVO													
C30 2.4i		C	2.4	5	Z	M5+	10.5	7.0	27	40	1,780	1780	4272

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

A21

S60 2.5T		C	2.5	5	Z	E5E	11.2	7.4	25	38	1,900	1900	4560
S60 2.5T		C	2.5	5	Z	S5E	11.1	7.3	25	39	1,880	1880	4512
S60 2.5T AWD		C	2.5	5	Z	E5E	11.9	7.6	24	37	2,000	2000	4800
S60 2.5T AWD		C	2.5	5	Z	S5E	11.7	7.6	24	37	1,980	1980	4752
S60 T5		C	2.4	5	Z	M6+	11.4	7.8	25	36	1,960	1960	4704
S60 T5		C	2.4	5	Z	S5E	11.8	7.6	24	37	1,980	1980	4752
S80 3.2		M	3.2	6	Z	S6E	13.3	8.3	21	34	2,220	2220	5328
S80 3.2 AWD		M	3.2	6	Z	S6E	13.3	8.2	21	34	2,200	2200	5280
S80 T6 AWD		M	3.0	6	Z	S6E	13.7	8.7	21	32	2,300	2300	5520
S80 V8 AWD		M	4.4	8	Z	S6E	13.8	8.8	20	32	2,300	2300	5520
V50 2.4		W	2.4	5	Z	M5+	10.5	7.0	27	40	1,780	1780	4272
V50 2.4		W	2.4	5	Z	S5E	10.5	7.0	27	40	1,780	1780	4272
V50 T5		W	2.5	5	Z	M6+	10.7	7.0	26	40	1,800	1800	4320
V50 T5		W	2.5	5	Z	S5E	11.1	7.3	25	39	1,880	1880	4512
V50 T5 AWD		W	2.5	5	Z	M6+	12.0	7.8	24	36	2,020	2020	4848
V50 T5 AWD		W	2.5	5	Z	S5E	11.7	7.6	24	37	1,980	1980	4752
V70 3.2		W	3.2	6	Z	S6E	13.3	8.3	21	34	2,220	2220	5328
V70 3.2 AWD		W					DATA NOT YET AVAILABLE - DONNÉES NON DISPONIBLE						

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

A22

**B**

VANS / FOURGONNETTES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSOMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN			
						City / VILLE		Highway / ROUTE		L/100 km	mi./gal.		PER YEAR / PAR AN	FUEL (L) / YEAR CARBURANT (L) / AN	
						City / VILLE		Highway / ROUTE							
						City / VILLE		Highway / ROUTE							
						City / VILLE		Highway / ROUTE							
						City / VILLE		Highway / ROUTE							

CHEVROLET

EXPRESS CARGO	F	4.3	6	X	E4E	14.1	10.0	20	28	2,214	2460	5904
EXPRESS CARGO	F	5.3	8	X	E4E	15.5	11.4	18	25	2,448	2720	6528
EXPRESS CARGO FFV	F	5.3	8	X	E4E	15.5	11.4	18	25	2,448	2720	6528
	F	5.3	8	E	E4E	21.1	15.8	13	18		3740	3740
EXPRESS CARGO AWD	F	5.3	8	X	E4E	15.7	11.8	18	24	2,520	2800	6720
EXPRESS CARGO AWD FFV	F	5.3	8	X	E4E	15.7	11.8	18	24	2,520	2800	6720
	F	5.3	8	E	E4E	21.4	16.4	13	17		3840	3840
EXPRESS CARGO CONV	F	5.3	8	X	E4E	16.3	11.9	17	24	2,574	2860	6864
EXPRESS CARGO CONV FFV	F	5.3	8	X	E4E	16.3	11.9	17	24	2,574	2860	6864
	F	5.3	8	E	E4E	22.3	16.5	13	17		3940	3940
EXPRESS CARGO CONV AWD	F	5.3	8	X	E4E	16.8	12.5	17	23	2,664	2960	7104
EXPRESS CARGO CONV AWD FFV	F	5.3	8	X	E4E	16.8	12.5	17	23	2,664	2960	7104

**B**

VANS / FOURGONNETTES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES  OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSOMMATION					CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN	
						City / VILLE	Highway / ROUTE	mi./gal.	PER YEAR / PAR AN			Litres
									FUEL (L) / YEAR CARBURANT (L) / AN			
						City / VILLE	Highway / ROUTE	L/100 km				
						City / VILLE	Highway / ROUTE					
						City / VILLE	Highway / ROUTE					

GMC

SAVANA CARGO	F	4.3	6	X	E4E	14.1	10.0	20	28	2,214	2460	5904
SAVANA CARGO	F	5.3	8	X	E4E	15.5	11.4	18	25	2,448	2720	6528
SAVANA CARGO FFV	F	5.3	8	X	E4E	15.5	11.4	18	25	2,448	2720	6528
	F	5.3	8	E	E4E	21.1	15.8	13	18		3740	3740
SAVANA CARGO AWD	F	5.3	8	X	E4E	15.7	11.8	18	24	2,520	2800	6720
SAVANA CARGO AWD FFV	F	5.3	8	X	E4E	15.7	11.8	18	24	2,520	2800	6720
	F	5.3	8	E	E4E	21.4	16.4	13	17		3840	3840
SAVANA CARGO CONV	F	5.3	8	X	E4E	16.3	11.9	17	24	2,574	2860	6864
SAVANA CARGO CONV FFV	F	5.3	8	X	E4E	16.3	11.9	17	24	2,574	2860	6864
	F	5.3	8	E	E4E	22.3	16.5	13	17		3940	3940
SAVANA CARGO CONV AWD	F	5.3	8	X	E4E	16.8	12.5	17	23	2,664	2960	7104

	F	5.3	8	E	E4E	22.9	17.4	12	16		4080	4080
EXPRESSPASSENGER	F	5.3	8	X	E4E	16.3	11.9	17	24	2,574	2860	6864
EXPRESSPASSENGER FFV	F	5.3	8	X	E4E	16.3	11.9	17	24	2,574	2860	6864
	F	5.3	8	E	E4E	22.3	16.5	13	17		3940	3940
EXPRESSPASSENGER AWD	F	5.3	8	X	E4E	16.8	12.5	17	23	2,664	2960	7104
EXPRESSPASSENGER AWD FFV	F	5.3	8	X	E4E	16.8	12.5	17	23	2,664	2960	7104
	F	5.3	8	E	E4E	22.9	17.4	12	16		4080	4080
UPLANDER	V	3.9	6	X	E4E	13.1	8.5	22	33	1,998	2220	5328
UPLANDER FFV	V	3.9	6	X	E4E	13.1	8.5	22	33	1,998	2220	5328
	V	3.9	6	E	E4E	17.8	11.5	16	25		2980	2980
CHRYSLER												
TOWN& COUNTRY	V	3.8	6	X	E6+	13.3	8.7	21	32	2,016	2240	5376
TOWN& COUNTRY	V	4.0	6	X	E6+	13.3	8.7	21	32	2,016	2240	5376
DODGE												
GRAND CARAVAN	V	3.8	6	X	E6+	13.3	8.7	21	32	2,016	2240	5376
GRAND CARAVAN FFV	V	3.3	6	X	E4+	12.6	8.4	22	34	1,926	2140	5136
	V	3.3	6	E	E4+	17.9	11.6	16	24		3020	3020
GRAND CARAVAN FFV/CV	V	3.3	6	X	E4+	12.0	8.2	24	34	1,854	2060	4944

FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER. ▲
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

SAVANA CARGO CONW AWD FFV	F	5.3	8	X	E4E	16.8	12.5	17	23	2,664	2960	7104
	F	5.3	8	E	E4E	22.9	17.4	12	16		4080	4080
SAVANA PASSENGER	F	5.3	8	X	E4E	16.3	11.9	17	24	2,574	2860	6864
SAVANA PASSENGER FFV	F	5.3	8	X	E4E	16.3	11.9	17	24	2,574	2860	6864
	F	5.3	8	E	E4E	22.3	16.5	13	17		3940	3940
SAVANA PASSENGER AWD	F	5.3	8	X	E4E	16.8	12.5	17	23	2,664	2960	7104
SAVANA PASSENGER AWD FFV	F	5.3	8	X	E4E	16.8	12.5	17	23	2,664	2960	7104
	F	5.3	8	E	E4E	22.9	17.4	12	16		4080	4080
HONDA												
ODYSSEY	V	3.5	6	X	E5E	13.3	8.5	21	33	1,998	2220	5328
ODYSSEY EX-L & TOURING	V	3.5	6	X	E5E	12.4	7.8	23	36	1,854	2060	4944
HYUNDAI												
ENTOURAGE	V	3.8	6	X	A5E	13.2	8.8	21	32	2,016	2240	5376
KIA												
SEDONA	V	3.8	6	X	A5E	13.2	8.8	21	32	2,016	2240	5376
MAZDA												
5	V	2.3	4	X	M5+	9.6	7.1	29	40	1,512	1680	4032
5	V	2.3	4	X	S5+	9.9	7.2	29	39	1,566	1740	4176

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

B



VANS / FOURGONNETTES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION		CONSUMPTION / CONSOMMATION				CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
					 No. of GEARS / Nbre de VITESSES	OVERDRIVE / SURMULTIPLICATION	L/100 km	mi./gal.	PER YEAR / PAR AN			 FUEL (L) / YEAR CARBURANT (L) / AN	Litres
City / VILLE		Highway / ROUTE		City / VILLE		Highway / ROUTE							

C



PICKUP TRUCKS / CAMIONNETTES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION		CONSUMPTION / CONSOMMATION				CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN	
					 No. of GEARS / Nbre de VITESSES	OVERDRIVE / SURMULTIPLICATION	L/100 km	City / VILLE		Highway / ROUTE		
								City / VILLE		Highway / ROUTE		
								City / VILLE		Highway / ROUTE		
								City / VILLE		Highway / ROUTE		
								City / VILLE		Highway / ROUTE		
PER YEAR / PAR AN		FUEL (L) / YEAR CARBURANT (L) / AN		Litres								

NISSAN

QUEST	V	3.5	6	Z	E5	12.9	8.4	22	34	2,180	2180	5232
-------	---	-----	---	---	----	------	-----	----	----	-------	------	------

PONTIAC

MONTANA SV6	V	3.9	6	X	E4E	13.1	8.5	22	33	1,998	2220	5328
MONTANA SV6 FFV	V	3.9	6	X	E4E	13.1	8.5	22	33	1,998	2220	5328
	V	3.9	6	E	E4E	17.8	11.5	16	25		2980	2980

TOYOTA

SIENNA	V	3.5	6	X	E5E	11.7	8.1	24	35	1,818	2020	4848
SIENNA AWD	V	3.5	6	X	E5E	13.3	9.5	21	30	2,088	2320	5568

CHEVROLET

AVALANCHE		5.3	8	X	E4E	14.7	9.8	19	29	2,250	2500	6000
AVALANCHE		6.0	8	X	E4E	17.0	11.5	17	25	2,610	2900	6960
AVALANCHE FFV		5.3	8	X	E4E	14.9	10.0	19	28	2,286	2540	6096
		5.3	8	E	E4E	19.6	13.4	14	21		3380	3380
AVALANCHE 4X4		6.0	8	X	E4E	17.3	11.8	16	24	2,664	2960	7104
AVALANCHE 4X4 FFV		5.3	8	X	E4E	15.4	10.4	18	27	2,358	2620	6288
		5.3	8	E	E4E	19.9	13.8	14	20		3440	3440
COLORADO		2.9	4	X	M5+	12.4	8.3	23	34	1,908	2120	5088
COLORADO		2.9	4	X	E4E	11.5	8.4	25	34	1,818	2020	4848
COLORADO		3.7	5	X	E4E	13.6	9.3	21	30	2,106	2340	5616
COLORADO 4X4		2.9	4	X	M5+	13.5	8.9	21	32	2,052	2280	5472
COLORADO 4X4		2.9	4	X	E4E	12.2	9.0	23	31	1,926	2140	5136

COLORADO 4X4		3.7	5	X	E4E	14.4	9.6	20	29	2,196	2440	5856
COLORADO CHASSIS CAB		3.7	5	X	E4E	15.6	11.4	18	25	2,484	2760	6624
COLORADO CHASSIS CAB 4X4		3.7	5	X	E4E	14.4	9.8	20	29	2,232	2480	5952
COLORADO CREW CAB		2.9	4	X	M5+	12.6	8.3	22	34	1,908	2120	5088
COLORADO CREW CAB		2.9	4	X	E4E	11.5	8.4	25	34	1,818	2020	4848
COLORADO CREW CAB		3.7	5	X	E4E	13.6	9.3	21	30	2,106	2340	5616
COLORADO CREW CAB 4X4		3.7	5	X	E4E	14.4	9.8	20	29	2,232	2480	5952
SILVERADO		4.3	6	X	E4E	14.1	10.0	20	28	2,196	2440	5856
SILVERADO		4.8	8	X	E4E	15.0	10.7	19	26	2,358	2620	6288
SILVERADO		5.3	8	X	E4E	14.3	9.8	20	29	2,214	2460	5904
SILVERADO FFV		5.3	8	X	E4E	14.3	10.0	20	28	2,232	2480	5952
		5.3	8	E	E4E	18.8	13.4	15	21		3280	3280
SILVERADO		6.0	8	X	E4E	16.5	11.4	17	25	2,556	2840	6816
SILVERADO 4X4		4.3	6	X	E4E	14.9	11.2	19	25	2,394	2660	6384
SILVERADO 4X4		4.8	8	X	E4E	15.2	11.0	19	26	2,394	2660	6384
SILVERADO 4X4		5.3	8	X	E4E	14.9	10.5	19	27	2,322	2580	6192
SILVERADO 4X4 FFV		5.3	8	X	E4E	15.1	10.6	19	27	2,340	2600	6240
		5.3	8	E	E4E	19.5	14.2	14	20		3440	3440

FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER. ▲
 4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
 FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
 LES VÉHICULES 4X4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
 POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.



PICKUP TRUCKS / CAMIONNETTES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSOMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN
						City / VILLE	Highway / ROUTE	City / VILLE	Highway / ROUTE	PER YEAR / PAR AN		
										L/100 km	mi./gal.	
DODGE												
SILVERADO 4X4		6.0	8	X	E4E	16.6	11.7	17	24	2,592	2880	6912
DAKOTA		3.7	6	X	M6+	13.4	9.8	21	29	2,124	2360	5664
DAKOTA		3.7	6	X	E4+	14.4	9.8	20	29	2,232	2480	5952
DAKOTA FFV		4.7	8	X	E5+	15.3	10.8	18	26	2,394	2660	6384
		4.7	8	E	E5+	21.1	14.8	13	19		3660	3660
DAKOTA 4X4		3.7	6	X	M6+	14.5	10.6	19	27	2,304	2560	6144
DAKOTA 4X4		3.7	6	X	E4+	15.6	11.3	18	25	2,466	2740	6576
DAKOTA 4X4 FFV		4.7	8	X	E5+	15.6	10.8	18	26	2,430	2700	6480
		4.7	8	E	E5+	21.1	14.8	13	19		3660	3660
RAM 1500		3.7	6	X	M6+	13.5	10.3	21	27	2,178	2420	5808
RAM 1500		3.7	6	X	E4+	14.8	10.3	19	27	2,286	2540	6096
RAM 1500		4.7	8	X	M6+	17.0	11.6	17	24	2,610	2900	6960



PICKUP TRUCKS / CAMIONNETTES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	OVERDRIVE / SURMULTIPLICATION	CONSUMPTION / CONSOMMATION				CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
							City / VILLE	Highway / ROUTE	L/100 km	mi./gal.	 FUEL (L) / YEAR CARBURANT (L) / AN	 PER YEAR / PAR AN	Litres
F150 4X4		5.4	8	X	E4E		17.0	12.1	17	23	2,664	2960	7104
F150 FFV 4X4		5.4	8	X	E4E		16.5	11.7	17	24	2,574	2860	6864
		5.4	8	E	E4E		23.7	16.6	12	17		4100	4100
RANGER		2.3	4	X	M5+		9.9	7.5	29	38	1,584	1760	4224
RANGER		2.3	4	X	E5E		11.2	8.3	25	34	1,782	1980	4752
RANGER		3.0	6	X	M5+		13.1	9.3	22	30	2,052	2280	5472
RANGER		3.0	6	X	E5E		14.3	10.0	20	28	2,232	2480	5952
RANGER		4.0	6	X	M5+		14.1	10.0	20	28	2,214	2460	5904
RANGER		4.0	6	X	E5E		13.9	10.2	20	28	2,196	2440	5856
RANGER 4X4		3.0	6	X	M5+		14.1	10.2	20	28	2,214	2460	5904
RANGER 4X4		3.0	6	X	E5E		15.0	10.7	19	26	2,358	2620	6288
RANGER 4X4		4.0	6	X	M5+		14.4	10.9	20	26	2,304	2560	6144
RANGER 4X4		4.0	6	X	E5E		15.7	11.7	18	24	2,502	2780	6672

RAM 1500 FFV		4.7	8	X	E5+	15.9	11.2	18	25	2,484	2760	6624
		4.7	8	E	E5+	21.7	15.6	13	18		3800	3800
RAM 1500 (MDS)		5.7	8	X	E5+	16.1	10.9	18	26	2,484	2760	6624
RAM 1500 4x4		4.7	8	X	M6+	17.1	12.4	17	23	2,700	3000	7200
RAM 1500 4x4 FFV		4.7	8	X	E5+	16.2	11.9	17	24	2,574	2860	6864
		4.7	8	E	E5+	21.9	15.8	13	18		3820	3820
RAM 1500 4x4 (MDS)		5.7	8	X	E5+	16.9	11.8	17	24	2,628	2920	7008
FORD												
EXPLORER SPORT TRAC		4.0	6	X	E5E	15.7	10.6	18	27	2,412	2680	6432
EXPLORER SPORT TRAC		4.6	8	X	E6E	16.4	10.4	17	27	2,466	2740	6576
EXPLORER SPORT TRAC 4x4		4.0	6	X	E5E	15.9	10.8	18	26	2,448	2720	6528
EXPLORER SPORT TRAC 4x4		4.6	8	X	E6E	16.6	10.7	17	26	2,502	2780	6672
F150		4.2	6	X	M5+	14.7	10.2	19	28	2,286	2540	6096
F150		4.2	6	X	E4E	14.9	10.5	19	27	2,322	2580	6192
F150		4.6	8	X	E4E	15.5	10.7	18	26	2,412	2680	6432
F150		5.4	8	X	E4E	16.7	11.6	17	24	2,592	2880	6912
F150 FFV		5.4	8	X	E4E	16.3	11.4	17	25	2,538	2820	6768
		5.4	8	E	E4E	21.6	15.4	13	18		2760	2760
F150 4x4		4.6	8	X	E4E	16.4	11.7	17	24	2,574	2860	6864

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

C2

GMC												
CANYON		2.9	4	X	M5+	12.4	8.3	23	34	1,908	2120	5088
CANYON		2.9	4	X	E4E	11.5	8.4	25	34	1,818	2020	4948
CANYON CREW CAB		2.9	4	X	M5+	12.6	8.3	22	34	1,908	2120	5088
CANYON CREW CAB		2.9	4	X	E4E	11.5	8.4	25	34	1,818	2020	4948
CANYON		3.7	5	X	E4E	13.6	9.3	21	30	2,106	2340	5616
CANYON CHASSIS CAB		3.7	5	X	E4E	15.6	11.4	18	25	2,484	2760	6624
CANYON CREW CAB		3.7	5	X	E4E	13.6	9.3	21	30	2,106	2340	5616
CANYON 4x4		2.9	4	X	M5+	13.5	8.9	21	32	2,052	2280	5472
CANYON 4x4		2.9	4	X	E4E	12.2	9.0	23	31	1,926	2140	5136
CANYON 4x4		3.7	5	X	E4E	14.4	9.6	20	29	2,196	2440	5856
CANYON CHASSIS CAB 4x4		3.7	5	X	E4E	14.4	9.8	20	29	2,232	2480	5952
CANYON CREW CAB 4x4		3.7	5	X	E4E	14.4	9.8	20	29	2,232	2480	5952
SIERRA		4.3	6	X	E4E	14.1	10.0	20	28	2,196	2440	5856
SIERRA		4.8	8	X	E4E	15.0	10.7	19	26	2,358	2620	6288
SIERRA		5.3	8	X	E4E	14.3	9.8	20	29	2,214	2460	5904
SIERRA FFV		5.3	8	X	E4E	14.3	10.0	20	28	2,232	2480	5952
		5.3	8	E	E4E	18.8	13.4	15	21		3280	3280
SIERRA		6.0	8	X	E4E	16.5	11.4	17	25	2,556	2840	6816

▼ EXPLANATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

C3



PICKUP TRUCKS / CAMIONNETTES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	 TRANSMISSION No. of GEARS / Nbre de VITESSES	CONSUMPTION / CONSOMMATION						 CO₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO₂ (kg) / AN	
						City / VILLE	Highway / ROUTE	City / VILLE	Highway / ROUTE	PER YEAR / PAR AN			 FUEL (L) / YEAR CARBURANT (L) / AN
						City / VILLE	Highway / ROUTE	City / VILLE	Highway / ROUTE	mi./gal.			
											L/100 km		
SIERRA 4X4		4.3	6	X	E4E	14.9	11.2	19	25	2,394	2660	6384	
SIERRA 4X4		4.8	8	X	E4E	15.2	11.0	19	26	2,394	2660	6384	
SIERRA 4X4		5.3	8	X	E4E	14.9	10.5	19	27	2,322	2580	6192	
SIERRA 4X4 FFV		5.3	8	X	E4E	15.1	10.6	19	27	2,340	2600	6240	
		5.3	8	E	E4E	19.5	14.2	14	20		3420	3420	
SIERRA 4X4		6.0	8	X	E4E	16.6	11.7	17	24	2,592	2880	6912	
SIERRA DENALI AWD		6.2	8	Z	E6E	17.7	10.8	16	26	2,920	2920	7008	

HONDA

RIDGELINE AWD		3.5	6	X	E5E	14.4	10.1	20	28	2,250	2500	6000
---------------	--	-----	---	---	-----	------	------	----	----	-------	------	------

LINCOLN

MARK LT 4X4		5.4	8	X	E4E	17.0	12.1	17	23	2,664	2960	7104
-------------	--	-----	---	---	-----	------	------	----	----	-------	------	------

MAZDA

B2300		2.3	4	X	M5+	9.9	7.5	29	38	1,584	1760	4224
-------	--	-----	---	---	-----	-----	-----	----	----	-------	------	------



PICKUP TRUCKS / CAMIONNETTES

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	 TRANSMISSION No. of GEARS / Nbre de VITESSES	CONSUMPTION / CONSOMMATION						 CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
						City / VILLE		Highway / ROUTE		City / VILLE			Highway / ROUTE	
						L/100 km		mi./gal.		L/100 km			mi./gal.	
						PER YEAR / PAR AN		PER YEAR / PAR AN		PER YEAR / PAR AN			PER YEAR / PAR AN	
						Litres		Litres		Litres			Litres	
TACOMA		4.0	6	X	M6+	13.5	10.1	21	28	2,160	2400	5760		
TACOMA 4WD		4.0	6	X	M6+	14.4	10.9	20	26	2,304	2560	6144		
TACOMA 4WD		4.0	6	X	E5E	13.4	10.1	21	28	2,142	2380	5712		
TUNDRA		4.7	8	X	S5E	15.5	11.7	18	24	2,484	2760	6624		
TUNDRA		5.7	8	X	S6E	15.3	10.9	18	26	2,394	2660	6384		
TUNDRA 4WD		4.7	8	X	S5E	16.0	12.3	18	23	2,574	2860	6864		
TUNDRA 4WD		5.7	8	X	S6E	16.9	11.8	17	24	2,628	2920	7008		

B2300			2.3	4	X	E5E	11.2	8.3	25	34	1,782	1980	4752
B3000			3.0	6	X	M5+	13.3	9.5	21	30	2,088	2320	5568
B3000			3.0	6	X	E5E	14.4	10.0	20	28	2,232	2480	5952
B4000			4.0	6	X	E5E	13.9	10.2	20	28	2,196	2440	5856
B4000 4X4			4.0	6	X	M5+	14.4	10.9	20	26	2,304	2560	6144
B4000 4X4			4.0	6	X	E5E	15.7	11.7	18	24	2,502	2780	6672
NISSAN													
FRONTIER			2.5	4	X	M5+	10.7	8.7	26	32	1,764	1960	4704
FRONTIER			2.5	4	X	E5E	12.6	9.2	22	31	1,980	2200	5280
FRONTIER			4.0	6	X	M6+	13.5	10.1	21	28	2,160	2400	5760
FRONTIER			4.0	6	X	E5E	14.4	10.2	20	28	2,250	2500	6000
FRONTIER 4X4			4.0	6	X	M6+	13.8	10.4	20	27	2,196	2440	5856
FRONTIER 4X4			4.0	6	X	E5E	14.8	10.6	19	27	2,322	2580	6192
TITAN			5.6	8	X	E5E	17.1	11.5	17	25	2,628	2920	7008
TITAN 4X4			5.6	8	X	E5E	18.0	12.2	16	23	2,772	3080	7392
TOYOTA													
TACOMA			2.7	4	X	M5+	10.1	7.7	28	37	1,620	1800	4320
TACOMA			2.7	4	X	E4E	11.1	8.0	25	35	1,746	1940	4656

FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER. ▲
 4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
 FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
 LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
 POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.



D

SPECIAL PURPOSE / À USAGE SPÉCIAL

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	 TRANSMISSION No. of GEARS / Nbre de VITESSES	CONSUMPTION / CONSOMMATION					 FUEL (L) / YEAR CARBURANT (L) / AN	CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN
										PER YEAR / PAR AN		
						L/100 km	mi./gal.					
								City / VILLE	Highway / ROUTE			

ACURA												
MDX AWD		3.7	6	Z	S5E	13.8	10.0	20	28	2,420	2420	5808
RDX AWD TURBO		2.3	4	Z	S5E	12.5	9.3	23	30	2,200	2200	5280
AUDI												
Q7		3.6	6	Z	S6+	14.9	10.3	19	27	2,560	2560	6144
Q7		4.2	8	Z	S6+	17.4	11.8	16	24	2,980	2980	7152
BMW												
X3 3.0i		3.0	6	Z	M6+	12.8	8.4	22	34	2,160	2160	5184
X3 3.0i		3.0	6	Z	E6+	12.2	8.3	23	34	2,100	2100	5040
X3 3.0si		3.0	6	Z	M6+	12.8	8.4	22	34	2,160	2160	5184
X3 3.0si		3.0	6	Z	E6+	12.2	8.3	23	34	2,100	2100	5040
X5 3.0si		3.0	6	Z	E6+	13.6	9.3	21	30	2,340	2340	5616
X5 4.8i		4.8	8	Z	E6+	15.6	10.2	18	28	2,640	2640	6336



D

SPECIAL PURPOSE / À USAGE SPÉCIAL

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	 TRANSMISSION No. of GEARS / Nbre de VITESSES	CONSUMPTION / CONSOMMATION					 FUEL (L) / YEAR CARBURANT (L) / AN	CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN
						PER YEAR / PAR AN						
						City / VILLE	Highway / ROUTE	mi./gal.	Litres			

HHR PANEL		2.2	4	X	E4E	9.5	6.6	30	43	1,476	1640	3936
HHR PANEL		2.4	4	Z	M5+	10.3	6.9	27	41	1,760	1760	4224
HHR PANEL		2.4	4	Z	E4E	9.6	7.0	29	40	1,680	1680	4032
HHR (TURBO)		2.0	4	Z	M5+	9.8	6.8	29	42	1,700	1700	4080
HHR (TURBO)		2.0	4	Z	E4E	10.9	6.9	26	41	1,820	1820	4368
SUBURBAN		5.3	8	X	E4E	14.7	9.8	19	29	2,250	2500	6000
SUBURBAN FFV		5.3	8	X	E4E	14.9	10.0	19	28	2,286	2540	6096
		5.3	8	E	E4E	19.6	13.4	14	21		3380	3380
SUBURBAN		6.0	8	X	E4E	17.0	11.5	17	25	2,610	2900	6960
SUBURBAN 4X4 FFV		5.3	8	X	E4E	15.4	10.4	18	27	2,358	2620	6288
		5.3	8	E	E4E	19.9	13.8	14	20		3440	3440
SUBURBAN 4X4		6.0	8	X	E4E	17.3	11.8	16	24	2,664	2960	7104
TAHOE		5.3	8	X	E4E	14.7	9.8	19	29	2,250	2500	6000

BUICK												
ENCLAVE		3.6	6	X	E6E	13.0	8.3	22	34	1,962	2180	5232
ENCLAVE AWD		3.6	6	X	E6E	13.5	8.9	21	32	2,070	2300	5520
CADILLAC												
ESCALADE AWD		6.2	8	Z	E6E	17.7	10.8	16	26	2,920	2920	7008
SRX		3.6	6	X	S5E	14.3	8.9	20	32	2,142	2380	5712
SRX		4.6	8	Z	S6E	15.8	9.8	18	29	2,620	2620	6288
SRX AWD		3.6	6	X	S5E	14.8	9.2	19	31	2,214	2460	5904
SRX AWD		4.6	8	Z	S6E	16.0	10.0	18	28	2,660	2660	6384
CHEVROLET												
EQUINOX		3.4	5	X	E5E	12.2	8.3	23	34	1,872	2080	4992
EQUINOX		3.6	6	X	S6E	13.0	8.3	22	34	1,962	2180	5232
EQUINOX AWD		3.4	5	X	E5E	12.5	8.4	23	34	1,926	2140	5136
EQUINOX AWD		3.6	6	X	S6E	13.0	8.3	22	34	1,962	2180	5232
HHR		2.2	4	X	M5+	10.3	6.6	27	43	1,548	1720	4128
HHR		2.2	4	X	E4E	9.5	6.6	30	43	1,476	1640	3936
HHR		2.4	4	Z	M5+	10.3	6.9	27	41	1,760	1760	4224
HHR		2.4	4	Z	E4E	9.6	7.0	29	40	1,680	1680	4032
HHR PANEL		2.2	4	X	M5+	10.3	6.6	27	43	1,548	1720	4128

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

D1

TAHOE FFV		5.3	8	X	E4E	14.9	10.0	19	28	2,286	2540	6096
		5.3	8	E	E4E	19.6	13.4	14	21		3380	3380
TAHOE HYBRID		6.0	8	X	EVE	9.8	9.2	29	31	1,710	1900	4560
TAHOE		6.2	8	Z	E6E	17.5	10.6	16	27	2880	2880	6912
TAHOE 4x4 FFV		5.3	8	X	E4E	15.4	10.4	18	27	2,358	2620	6288
		5.3	8	E	E4E	19.9	13.8	14	20		3440	3440
TAHOE 4x4 HYBRID		6.0	8	X	EVE	10.5	9.8	27	29	1,836	2040	4896
TRAILBLAZER		5.3	8	X	E4E	14.8	9.8	19	29	2,250	2500	6000
TRAILBLAZER		6.0	8	Z	E4E	17.5	12.3	16	23	3,040	3040	7296
TRAILBLAZER 4x4		4.2	6	X	E4E	15.3	10.1	18	28	2,340	2600	6240
TRAILBLAZER 4x4		5.3	8	X	E4E	14.7	10.5	19	27	2,304	2560	6144
TRAILBLAZER AWD		6.0	8	Z	E4E	18.1	12.9	16	22	3,160	3160	7584
CHRYSLER												
ASPEN 4x4 (MDS)		5.7	8	X	E5+	16.4	11.0	17	26	2,520	2800	6720
PACIFICA		3.8	6	X	S4+	13.8	9.1	20	31	2,106	2340	5616
PACIFICA		4.0	6	X	S6+	14.4	8.8	20	32	2,142	2380	5712
PACIFICA AWD		4.0	6	X	S6+	14.9	9.1	19	31	2,214	2460	5904
PT CRUISER		2.4	4	X	M5+	9.8	7.5	29	38	1,584	1760	4224
PT CRUISER		2.4	4	X	E4+	11.0	8.1	26	35	1,746	1940	4656

▼ EXPLANATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

D2



SPECIAL PURPOSE / À USAGE SPÉCIAL

D

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES OVERDRIVE / SURMULTIPLICATION 	CONSUMPTION / CONSOMMATION					CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN
										 FUEL (L) / YEAR CARBURANT (L) / AN	
				L/100 km	mi./gal.	Litres					
				City / VILLE	Highway / ROUTE	City / VILLE	Highway / ROUTE	PER YEAR / PAR AN			

PT TURBO		2.4	4	X	E4+	11.4	8.1	25	35	1,782	1980	4752
DODGE												
DURANGO 4X4 (MDS)		5.7	8	X	E5+	16.4	11.0	17	26	2,520	2800	6720
DURANGO 4X4 FFV		4.7	8	X	E5+	15.6	10.7	18	26	2,412	2680	6432
		4.7	8	E	E5+	21.1	14.8	13	19		3660	3660
MAGNUM		2.7	6	X	E4+	11.3	7.7	25	37	1,746	1940	4656
MAGNUM		3.5	6	X	E4+	12.2	8.1	23	35	1,854	2060	4944
MAGNUM		3.5	6	X	S5+	12.5	8.1	23	35	1,890	2100	5040
MAGNUM (MDS)		5.7	8	X	S5+	13.6	8.6	21	33	2,052	2280	5472
MAGNUM AWD		3.5	6	X	S5+	13.9	9.0	20	31	2,106	2340	5616
MAGNUM AWD (MDS)		5.7	8	X	S5+	13.6	9.0	21	31	2,088	2320	5568
MAGNUM SRT8		6.1	8	Z	S5+	16.5	10.9	17	26	2,800	2800	6720
NITRO		3.7	6	X	M6+	12.8	8.9	22	32	1,980	2200	5280



SPECIAL PURPOSE / À USAGE SPÉCIAL

D

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION		CONSUMPTION / CONSOMMATION				CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
						No. of GEARS / Nbre de VITESSES	OVERDRIVE / SURMULTIPLICATION	L/100 km	mi./gal.	PER YEAR / PAR AN			
												FUEL (L) / YEAR CARBURANT (L) / AN	Litres

GMC		3.6	6	X	E6E	13.0	8.3	22	34	1,962	2180	5232
ACADIA												
ACADIA AWD		3.6	6	X	E6E	13.5	8.9	21	32	2,070	2300	5520
ENVOY		5.3	8	X	E4E	14.8	9.8	19	29	2,250	2500	6000
ENVOY 4X4		4.2	6	X	E4E	15.3	10.1	18	28	2,340	2600	6240
ENVOY 4X4		5.3	8	X	E4E	14.7	10.5	19	27	2,304	2560	6144
YUKON		5.3	8	X	E4E	14.7	9.8	19	29	2,250	2500	6000
YUKON FFV		5.3	8	X	E4E	14.9	10.0	19	28	2,286	2540	6096
		5.3	8	E	E4E	19.6	13.4	14	21		3380	3380
YUKON HYBRID		6.0	8	X	EVE	9.8	9.2	29	31	1710	1900	4560
YUKON		6.2	8	Z	E6E	17.5	10.6	16	27	2880	2880	6912
YUKON 4X4 FFV		5.3	8	X	E4E	15.4	10.4	18	27	2,358	2620	6288
		5.3	8	E	E4E	19.9	13.8	14	20		3440	3440

NITRO			3.7	6	X	E4+	13.2	9.1	21	31	2,034	2260	5424
NITRO			4.0	6	X	E5+	13.1	9.5	22	30	2,070	2300	5520
NITRO 4X4			3.7	6	X	M6+	13.4	9.2	21	31	2,070	2300	5520
NITRO 4X4			3.7	6	X	E4+	14.0	9.7	20	29	2,178	2420	5808
NITRO 4X4			4.0	6	X	E5+	13.6	10.0	21	28	2,160	2400	5760
FORD													
EDGE			3.5	6	X	E6E	12.8	8.4	22	34	1,944	2160	5184
EDGE AWD			3.5	6	X	E6E	13.6	9.2	21	31	2,088	2320	5568
ESCAPE			2.3	4	X	E4E	10.3	7.7	27	37	1,638	1820	4368
ESCAPE			3.0	6	X	E4E	11.7	8.2	24	34	1,818	2020	4848
ESCAPE HYBRID			2.3	4	X	VE	5.7	6.7	50	42	1,098	1220	2928
ESCAPE AWD			2.3	4	X	E4E	10.9	8.5	26	33	1,764	1960	4704
ESCAPE AWD			3.0	6	X	E4E	12.2	9.1	23	31	1,944	2160	5184
ESCAPE HYBRID AWD			2.3	4	X	VE	6.8	7.3	42	39	1,260	1400	3360
EXPLORER 4X4			4.0	6	X	E5E	15.9	10.8	18	26	2,448	2720	6528
EXPLORER 4X4			4.6	8	X	E6E	16.6	10.7	17	26	2,502	2780	6672
TAURUS X			3.5	6	X	E6E	12.8	8.4	22	34	1,944	2160	5184
TAURUS X AWD			3.5	6	X	E6E	13.6	9.2	21	31	2,088	2320	5568

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

D3

YUKON 4X4 HYBRID		6.0	8	X	EVE	10.5	9.8	27	29	1,836	2040	4896
YUKON DENALI AWD		6.2	8	Z	E6E	17.7	10.8	16	26	2,920	2920	7008
YUKON XL		5.3	8	X	E4E	14.7	9.8	19	29	2,250	2500	6000
YUKON XL		6.0	8	X	E4E	17.0	11.5	17	25	2,610	2900	6960
YUKON XL FFV		5.3	8	X	E4E	14.9	10.0	19	28	2,286	2540	6096
		5.3	8	E	E4E	19.6	13.4	14	21		3380	3380
YUKON XL 4X4		6.0	8	X	E4E	17.3	11.8	16	24	2,664	2960	7104
YUKON XL 4X4 FFV		5.3	8	X	E4E	15.4	10.4	18	27	2,358	2620	6288
		5.3	8	E	E4E	19.9	13.8	14	20		3440	3440
HONDA												
CR-V		2.4	4	X	E5E	10.3	7.3	27	39	1,620	1800	4320
CR-V AWD		2.4	4	X	E5E	10.7	7.8	26	36	1,692	1880	4512
ELEMENT		2.4	4	X	M5+	11.3	8.7	25	32	1,818	2020	4848
ELEMENT		2.4	4	X	E5E	10.5	8.1	27	35	1,692	1880	4512
ELEMENT AWD		2.4	4	X	M5+	11.3	8.8	25	32	1,836	2040	4896
ELEMENT AWD		2.4	4	X	E5E	11.0	8.3	26	34	1,764	1960	4704
PILOT		3.5	6	X	E5E	13.3	8.9	21	32	2,034	2260	5424
PILOT AWD		3.5	6	X	E5E	14.1	9.7	20	29	2,196	2440	5856

▼ EXPLANATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4X4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

D4



SPECIAL PURPOSE / À USAGE SPÉCIAL



SPECIAL PURPOSE / À USAGE SPÉCIAL

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSOMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN			
						L/100 km	mi./gal.	PER YEAR / PAR AN			FUEL (L) / YEAR CARBURANT (L) / AN		Litres		
								City / VILLE	Highway / ROUTE						
														City / VILLE	Highway / ROUTE

HUMMER										
H3 4X4		3.7	5	X	M5+	16.8	11.4	17	25	2,592
H3 4X4		3.7	5	X	E4E	15.6	11.4	18	25	2,484
H3 4X4		5.3	8	X	E4E	16.6	12.6	17	22	2,664
HYUNDAI										
SANTA FE		2.7	6	X	M5+	12.1	8.3	23	34	1,872
SANTA FE		2.7	6	X	A4E	11.4	8.3	25	34	1,800
SANTA FE		3.3	6	X	A5E	12.2	8.4	23	34	1,890
SANTA FE 4X4		3.3	6	X	A5E	12.6	8.4	22	34	1,926
TUCSON		2.0	4	X	M5+	10.4	7.8	27	36	1,656
TUCSON		2.0	4	X	A4E	10.7	8.0	26	35	1,710
TUCSON		2.7	6	X	A4E	11.9	8.4	24	34	1,854
TUCSON 4X4		2.7	6	X	A4E	12.3	8.8	23	32	1,926

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSOMMATION						CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN			
						City / VILLE	Highway / ROUTE	L/100 km	mi./gal.	PER YEAR / PAR AN			 FUEL (L) / YEAR CARBURANT (L) / AN		
										City / VILLE	Highway / ROUTE				
														City / VILLE	Highway / ROUTE
GRAND CHEROKEE 4X4 TURBO DIESEL		3.0	6	D	E5+	12.0	9.0	24	31	1,926	2140	5778			
GRAND CHEROKEE 4X4 FFV		4.7	8	X	E5+	15.6	10.7	18	26	2,412	2680	6432			
		4.7	8	E	E5+	21.1	14.8	13	19		3660	3660			
GRAND CHEROKEE 4X4 SRT8		6.1	8	Z	E5+	19.1	14.3	15	20	3,380	3380	8112			
LIBERTY 4X4		3.7	6	X	M6+	13.4	9.2	21	31	2,070	2300	5520			
LIBERTY 4X4		3.7	6	X	E4+	14.0	9.7	20	29	2,178	2420	5808			
PATRIOT		2.0	4	X	VE	9.0	7.3	31	39	1,494	1660	3984			
PATRIOT		2.4	4	X	M5+	8.9	7.1	32	40	1,458	1620	3888			
PATRIOT		2.4	4	X	VE	9.7	8.0	29	35	1,602	1780	4272			
PATRIOT 4X4		2.4	4	X	M5+	9.2	7.3	31	39	1,494	1660	3984			
PATRIOT 4X4		2.4	4	X	VE	9.9	8.2	29	34	1,656	1840	4416			
PATRIOT 4X4 TRAIL RATED		2.4	4	X	VE	10.6	9.4	27	30	1,818	2020	4848			
WRANGLER 4X4		3.8	6	X	M6+	14.1	10.8	20	26	2,268	2520	6048			

VERACRUZ 4X4		3.8	6	X	A6E	13.9	9.0	20	31	2,106	2340	5616
INFINITI												
EX35		3.5	6	Z	S5E	12.9	8.5	22	33	2,200	2200	5280
FX35 AWD		3.5	6	Z	S5E	14.4	9.9	20	29	2,480	2480	5952
FX45 AWD		4.5	8	Z	S5E	16.4	11.7	17	24	2,860	2860	6864
QX56 4X4		5.6	8	Z	E5E	18.2	11.8	16	24	3,060	3060	7344
JEEP												
COMMANDER 4X4		3.7	6	X	E5+	14.6	10.6	19	27	2,304	2560	6144
COMMANDER 4X4 (MDS)		5.7	8	X	E5+	16.4	11.0	17	26	2,520	2800	6720
COMMANDER 4X4 FFV		4.7	8	X	E5+	15.6	10.7	18	26	2,412	2680	6432
		4.7	8	E	E5+	21.1	14.8	13	19		3660	3660
COMPASS		2.0	4	X	VE	9.0	7.3	31	39	1,494	1660	3984
COMPASS		2.4	4	X	M5+	8.9	7.1	32	40	1,458	1620	3888
COMPASS		2.4	4	X	VE	9.7	8.0	29	35	1,602	1780	4272
COMPASS 4X4		2.4	4	X	M5+	9.2	7.3	31	39	1,494	1660	3984
COMPASS 4X4		2.4	4	X	VE	9.9	8.2	29	34	1,656	1840	4416
GRAND CHEROKEE 4X4		3.7	6	X	E5+	13.9	10.1	20	28	2,196	2440	5856
GRAND CHEROKEE 4X4 (MDS)		5.7	8	X	E5+	16.1	10.9	18	26	2,484	2760	6624

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

D5

WRANGLER 4X4		3.8	6	X	E4+	14.1	10.3	20	27	2,232	2480	5952
KIA												
SORENTO		3.3	6	X	A5E	13.4	9.2	21	31	2,070	2300	5520
SORENTO		3.8	6	X	A5E	14.0	9.6	20	29	2,160	2400	5760
SORENTO 4X4		3.3	6	X	A5E	14.0	9.2	20	31	2,124	2360	5664
SORENTO 4X4		3.8	6	X	A5E	14.0	9.8	20	29	2,178	2420	5808
SPORTAGE		2.0	4	X	M5+	10.4	7.8	27	36	1,656	1840	4416
SPORTAGE		2.0	4	X	A4E	10.7	8.0	26	35	1,710	1900	4560
SPORTAGE		2.7	6	X	A4E	12.1	8.5	23	33	1,890	2100	5040
SPORTAGE 4X4		2.0	4	X	M5+	10.9	8.3	26	34	1,746	1940	4656
SPORTAGE 4X4		2.7	6	X	A4E	12.4	9.4	23	30	1,998	2220	5328
LAND ROVER												
LR2 SE 4X4		3.2	6	X	S6	13.3	8.8	21	32	2,016	2240	5376
LR2 HSE 4X4		3.2	6	X	S6	13.3	8.8	21	32	2,016	2240	5376
LR3 V6 4X4		4.0	6	X	S6	17.2	11.3	16	25	2,628	2920	7008
LR3 V8 4X4		4.4	8	X	S6	17.2	11.5	16	25	2,664	2960	7104
RANGE ROVER 4X4		4.4	8	X	S6	17.3	11.2	16	25	2,610	2900	6960
RANGE ROVER SC 4X4 #		4.2	8	X	S6	17.7	11.4	16	25	2,664	2960	7104

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4X4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

D6



D

SPECIAL PURPOSE / À USAGE SPÉCIAL

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION		CONSUMPTION / CONSOMMATION				CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN				
						No. of GEARS / Nbre de VITESSES	OVERDRIVE / SURMULTIPLICATION	City / VILLE	Highway / ROUTE	L/100 km		mi./gal.	PER YEAR / PAR AN		
														FUEL (L) / YEAR CARBURANT (L) / AN	Litres

RANGE ROVER SPORT 4X4		4.4	8	X	S6	17.2	11.0	16	26	2,592	2880	6912
RANGE ROVER SPORT SC 4X4 #		4.2	8	X	S6	17.7	11.4	16	25	2,682	2980	7152

LEXUS

GX 470		4.7	8	Z	E5E	15.3	11.4	18	25	2,720	2720	6528
LX 570		5.7	8	Z	S6E	17.1	11.4	17	25	2,900	2900	6960
RX 350 4WD		3.5	6	Z	E5E	12.4	9.0	23	31	2,180	2180	5232
RX 400H 4WD		3.3	6	Z	V	7.8	8.4	36	34	1,620	1620	3888

LINCOLN

MX		3.5	6	X	E6E	12.8	8.4	22	34	1,944	2160	5184
MX 4WD		3.5	6	X	E6E	13.6	9.2	21	31	2,088	2320	5568

MAZDA

CX-7 (TURBO)		2.3	4	Z	S6+	12.4	8.7	23	32	2,140	2140	5136
CX-7 4X4 (TURBO)		2.3	4	Z	S6+	12.7	9.1	22	31	2,220	2220	5328



D

SPECIAL PURPOSE / À USAGE SPÉCIAL

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSOMMATION					CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN
						PER YEAR / PAR AN				 FUEL (L) / YEAR CARBURANT (L) / AN	
						L/100 km	mi./gal.	Highway / ROUTE			
								City / VILLE	Highway / ROUTE		
								City / VILLE	Highway / ROUTE		

R350 4MATIC		3.5	6	Z	E7E	14.4	10.3	20	27	2,520	2520	6048
R550 4MATIC		5.5	8	Z	E7E	16.1	11.1	18	25	2,780	2780	6672

MINI

ENDEAVOR		3.8	6	Z	S4E	13.6	9.2	21	31	2,320	2320	5568
ENDEAVOR AWD		3.8	6	Z	S4E	14.2	10.3	20	27	2,480	2480	5952
OUTLANDER		2.4	4	X	V+	10.2	7.9	28	36	1,656	1840	4416
OUTLANDER 4X4		2.4	4	X	V+	10.4	8.0	27	35	1,674	1860	4464
OUTLANDER 4X4		3.0	6	X	S6E	12.3	8.5	23	33	1,908	2120	5088

CX-9			3.7	6	X	S6+	13.2	9.0	21	31	2,034	2260	5424
CX-9 4X4			3.7	6	X	S6+	14.0	9.7	20	29	2,160	2400	5760
TRIBUTE			2.3	4	X	M5+	9.4	7.1	30	40	1,512	1680	4032
TRIBUTE			2.3	4	X	E4E	10.3	7.7	27	37	1,638	1820	4368
TRIBUTE			3.0	6	X	E4E	11.7	8.2	24	34	1,818	2020	4848
TRIBUTE 4WD			2.3	4	X	E4E	10.9	8.5	26	33	1,764	1960	4704
TRIBUTE 4WD			3.0	6	X	E4E	12.5	9.1	23	31	1,944	2160	5184
MERCEDES-BENZ													
G500			5.0	8	Z	E7E	18.4	13.5	15	21	3,240	3240	7776
G55 AMG KOMPRESSOR #			5.4	8	Z	S5E	19.8	15.0	14	19	3,520	3520	8448
GL320 CDI 4MATIC (TURBO)			3.0	6	D	E7E	11.5	8.3	25	34	1,818	2020	5454
GL450 4MATC			4.7	8	Z	E7E	15.8	11.1	18	25	2,740	2740	6576
GL550 4MATIC			5.5	8	Z	E7E	16.6	11.7	17	24	2,880	2880	6912
ML320 CDI 4MATIC (TURBO)			3.0	6	D	E7E	11.3	8.3	25	34	1,800	2000	5400
ML350 4MATIC			3.5	6	Z	E7E	14.2	10.2	20	28	2,480	2480	5952
ML550 4MATIC			5.5	8	Z	E7E	16.0	11.2	18	25	2,760	2760	6624
ML63 AMG			6.2	8	Z	S7E	20.1	13.9	14	20	3,460	3460	8304
R320 CDI 4MATIC (TURBO)			3.0	6	D	E7E	11.3	8.2	25	34	1,782	1980	5346

▲
FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.
4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

D7

ROGUE AWD			2.5	4	X	VE	9.5	7.7	30	37	1,566	1740	4176
XTERRA 4X4			4.0	6	X	M6+	13.5	10.1	21	28	2,160	2400	5760
XTERRA 4X4			4.0	6	X	E5E	14.6	10.2	19	28	2,268	2520	6048
PONTIAC													
TORRENT			3.4	5	X	E5E	12.2	8.3	23	34	1,872	2080	4992
TORRENT			3.6	6	X	S6E	13.0	8.3	22	34	1,962	2180	5232
TORRENT AWD			3.4	5	X	E5E	12.5	8.4	23	34	1,926	2140	5136
TORRENT AWD			3.6	6	X	S6E	13.0	8.3	22	34	1,962	2180	5232
PORSCHÉ													
CAYENNE			3.6	6	Z	M6+	15.4	9.8	18	29	2,580	2580	6192
CAYENNE			3.6	6	Z	S6+	14.6	10.0	19	28	2,500	2500	6000
CAYENNE S			4.8	8	Z	S6+	16.3	10.5	17	27	2,740	2740	6576
CAYENNE TURBO			4.8	8	Z	S6+	18.0	10.7	16	26	2,940	2940	7056
SAAB													
9-7X AWD			4.2	6	X	E4E	15.3	10.1	18	28	2,340	2600	6240
9-7X AWD			5.3	8	X	E4E	14.7	10.5	19	27	2,304	2560	6144
9-7X AWD			6.0	8	Z	E4E	18.1	12.9	16	22	3,160	3160	7584

▼ EXPLANATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
LES VÉHICULES 4X4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

D8



D

SPECIAL PURPOSE / À USAGE SPÉCIAL

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N°OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES 	CONSUMPTION / CONSOMMATION					CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
						L/100 km	mi./gal.	PER YEAR / PAR AN				 FUEL (L) / YEAR CARBURANT (L) / AN Litres	
								City / VILLE	Highway / ROUTE	City / VILLE			Highway / ROUTE

SATURN													
OUTLOOK			3.6	6	X	E6E	13.0	8.3	22	34	1,962	2180	5232
OUTLOOKAWD			3.6	6	X	E6E	13.5	8.9	21	32	2,070	2300	5520
VUE			2.4	4	X	E4E	11.0	7.5	26	38	1,692	1880	4512
VUEHYBRID			2.4	4	X	E4E	8.2	6.1	34	46	1,314	1460	3504
VUE			3.6	6	X	E6E	12.7	8.6	22	33	1,962	2180	5232
VUE			3.6	6	X	S6E	13.0	8.3	22	34	1,962	2180	5232
VUEAWD			3.5	6	X	E6E	13.3	8.8	21	32	2,034	2260	5424
VUEAWD			3.6	6	X	E6E	13.2	8.9	21	32	2,034	2260	5424
VUEAWD			3.6	6	X	S6E	13.1	8.8	22	32	2,016	2240	5376

SUBARU												
FORESTER 2.5XT		2.5	4	Z	M5+	11.2	8.0	25	35	1,940	1940	4656
FORESTER 2.5XT		2.5	4	Z	E4E	11.5	8.7	25	32	2,040	2040	4896



D

SPECIAL PURPOSE / À USAGE SPÉCIAL

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N°OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES	CONSUMPTION / CONSOMMATION					CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN		
						City / VILLE	Highway / ROUTE	mi./gal.	PER YEAR / PAR AN			FUEL (L) / YEAR CARBURANT (L) / AN	
									Litres				

FJCRUISER 4WD		4.0	6	Z	E5E	13.6	10.2	21	28	2,420	2420	5808
HIGHLANDER 4WD		3.5	6	X	S5E	12.3	8.8	23	32	1,944	2160	5184
HIGHLANDER HYBRID 4WD		3.3	6	X	V	7.4	8.0	38	35	1,386	1540	3696
RAV4 4WD		2.4	4	X	E4E	10.1	7.7	28	37	1,620	1800	4320
RAV4 4WD		3.5	6	X	E5E	11.1	7.7	25	37	1,728	1920	4608
SEQUOIA 4WD		4.7	8	X	S5E	16.1	12.3	18	23	2,592	2880	6912
SEQUOIA 4WD		5.7	8	X	S6E	16.3	11.2	17	25	2,520	2800	6720

VOLKSWAGEN												
TOUAREG		3.6	6	Z	S6+	14.9	10.3	19	27	2,560	2560	6144
TOUAREG		4.2	8	Z	S6+	17.1	11.5	17	25	2,920	2920	7008

VOLVO												
XC70 3.2 AWD		3.2	6	Z	S6E	14.4	9.2	20	31	2,400	2400	5760
XC90 3.2		3.2	6	Z	S6E	14.9	10.0	19	28	2,540	2540	6096

FORESTER 2.5X/XS		2.5	4	X	M5+	10.6	7.3	27	39	1,638	1820	4368
FORESTER 2.5X/XS		2.5	4	X	E4E	10.4	7.8	27	36	1,656	1840	4416
OUTBACK/OUTBACK LTD WAGON		2.5	4	X	M5+	10.7	7.7	26	37	1,692	1880	4512
OUTBACK/OUTBACK LTD WAGON		2.5	4	X	S4E	10.5	7.5	27	38	1,638	1820	4368
OUTBACK 2.5XT LTD WAGON		2.5	4	Z	M5+	11.7	8.3	24	34	2,040	2040	4896
OUTBACK 2.5XT LTD WAGON		2.5	4	Z	S5E	11.8	8.4	24	34	2,060	2060	4944
OUTBACK 3.0R WAGON		3.0	6	Z	S5E	12.1	8.2	23	34	2,060	2060	4944
TRIBECA AWD		3.6	6	X	S5E	13.2	9.4	21	30	2,070	2300	5520
SUZUKI												
GRAND VITARA 4X4		2.7	6	X	M5+	13.0	9.5	22	30	2,052	2280	5472
GRAND VITARA 4X4		2.7	6	X	E5E	12.4	9.3	23	30	1,980	2200	5280
XL7		3.6	6	X	S5E	12.9	9.0	22	31	2,016	2240	5376
XL7 AWD		3.6	6	X	S5E	13.7	9.3	21	30	2,106	2340	5616
TOYOTA												
4RUNNER 4WD		4.0	6	X	E5E	13.6	10.2	21	28	2,178	2420	5808
4RUNNER 4WD		4.7	8	X	E5E	15.0	11.5	19	25	2,412	2680	6432
FJ CRUISER 4WD		4.0	6	Z	M6+	14.5	11.1	19	25	2,580	2580	6192

FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER. ▲
 4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.
 FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

XO90 3.2 AWD		3.2	6	Z	S6E	15.1	10.1	19	28	2,580	2580	6192
XO90 V8 AWD		4.4	8	Z	S6E	16.2	10.6	17	27	2,740	2740	6576

▼ EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.
 LES VÉHICULES 4X4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.
 POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.

MANUFACTURER / CONSTRUCTEUR MODEL / MODÈLE	CLASS / CATÉGORIE	ENGINE SIZE / CYLINDRÉE	N° OF CYLINDERS / CYLINDRES	FUEL TYPE / CARBURANT	TRANSMISSION No. of GEARS / Nbre de VITESSES	CONSUMPTION / CONSOMMATION				FUEL (L) / YEAR CARBURANT (L) / AN	CO ₂ EMISSIONS (kg) / YEAR ÉMISSIONS DE CO ₂ (kg) / AN	
						City / VILLE L/100 km	City / VILLE mi./gal.	Highway / ROUTE	PER YEAR / PAR AN			
AUTOMOBILES												
SMART FORTWO CONVERTIBLE/COUPE	T	1.0	3	Z	S5	5.9	4.8	48	59	1,080	1080	2592
MINI COOPER/COOPER CLUBMAN	S	1.6	4	Z	M6+	7.1	5.3	40	53	1,260	1260	3024
TOYOTA YARIS	S	1.5	4	X	M5+	7.0	5.5	40	51	1,134	1260	3024
HONDA CIVIC HYBRID	C	1.3	4	X	V	4.7	4.3	60	66	810	900	2160
TOYOTA PRIUS	M	1.5	4	X	V	4.0	4.2	71	67	738	820	1968
HONDA ACCORD 4DR SEDAN	L	2.4	4	X	M5+	9.4	6.4	30	44	1,440	1600	3840
HONDA FIT	W	1.5	4	X	M5+	7.1	5.7	40	50	1,170	1300	3120

VANS / FOURGONNETTES																	
																	
CHEVROLET EXPRESS CARGO/GMC SAVANA CARGO		F	4.3	6	X	E4E	14.1	10.0	20	28	2,214	2460	5904				
MAZDA5		V	2.3	4	X	M5+	9.6	7.1	29	40	1,512	1680	4032				
PICKUP TRUCKS/ CAMIONNETTES																	
																	
FORD RANGER			2.3	4	X	M5+	9.9	7.5	29	38	1,584	1760	4224				
MAZDA B2300			2.3	4	X	M5+	9.9	7.5	29	38	1,584	1760	4224				
SPECIAL PURPOSE/ A USAGE SPECIAL																	
																	
FORD ESCAPE HYBRID			2.3	4	X	VE	5.7	6.7	50	42	1,098	1220	2928				

E1

 ▲

 FOR EXPLANATIONS SEE THE FLIP-OUT CHART INSIDE THE FRONT COVER.

 4x4 VEHICLES ARE TESTED IN TWO-WHEEL DRIVE MODE.

 FOR CONTINUOUSLY UPDATED FIGURES VISIT OUR WEB SITE: vehicles.gc.ca.

▼

 EXPLICATIONS – VOIR À L'ENDOS DE LA PAGE COUVERTURE AVANT INTÉRIEURE.

 LES VÉHICULES 4x4 SONT SOUMIS AUX ESSAIS EN POSITION DEUX ROUES MOTRICES.

 POUR LES CHIFFRES LES PLUS À JOUR, VEUILLEZ CONSULTER NOTRE SITE WEB À : vehicules.gc.ca.